


宮城光信教授業績目録

平成 18 年 3 月
東 北 大 学 史 料 館
(著 作 目 録 第 973 号)



宮城光信教授略歴

生年月日	昭和17年12月12日
本籍地	北海道
職名	名誉教授
所属	大学院工学研究科

最終学歴

昭和40年3月	東北大学工学部通信工学科卒業
昭和42年3月	東北大学大学院工学研究科電気及通信工学専攻修士課程修了
昭和45年3月	東北大学大学院工学研究科電気及通信工学専攻博士課程修了

職歴

昭和45年4月	東北大学電子通信研究所助手
昭和50年10月～昭和52年2月	マクギル大学（カナダ）博士研究員
昭和53年12月	東北大学電気通信研究所助教授
昭和62年2月	東北大学工学部教授
平成9年4月	東北大学大学院教授（工学研究科電気・通信工学専攻）
平成11年4月～平成13年3月	東北大学評議員
平成14年11月～平成16年11月	東北大学大学院工学研究科長・工学部長 東北大学評議員
平成16年4月～平成16年11月	東北大学経営協議会委員，教育研究評議員 総長選考会議（副議長）
平成17年3月	東北大学を退職

学 位

昭和40年3月 工学士（東北大学）
昭和42年3月 工学修士（東北大学）
昭和45年3月 工学博士（東北大学）

受 賞

平成元年4月 第21回市村賞（貢献賞）
平成13年8月 SPIE フェロー

学会・社会等における活動（役職等）

IEEE MTT-S 東京チャプター運営委員（昭和62年1月～昭和64年1月）
IEEE LEOS 東京チャプター幹事（平成4年1月～平成6年1月）
電子情報通信学会東北支部評議員（平成4年5月～平成6年4月）
電子情報通信学会集積光技術研究専門委員会委員長（平成5年5月～平成6年4月）
レーザー学会東北・北海道支部支部長（平成9年5月～平成11年4月）
レーザー学会評議員（平成11年4月～平成18年3月）
IEEE 仙台支部役員（平成11年4月～平成14年3月）
電子情報通信学会東北支部支部長（平成14年5月～平成15年5月）
日本光学会幹事（平成15年4月～平成17年3月）
レーザー応用工学センター検討委員会総合委員会委員（昭和63年9月～平成元年3月）
大学設置・学校法人審議会専門委員（平成12年7月～平成13年3月）
大学設置・学校法人審議会専門委員（工学・副主査）（平成13年7月～平成14年3月）
大学設置・学校法人審議会専門委員（工学・主査）（平成14年7月～平成15年3月）
仙台電波工業高等専門学校外部評価委員（委員長）（平成15年7月～平成17年7月）
日本学術振興会特別研究員等審査専門委員会委員（平成16年8月～平成18年7月）

所属学会

IEEE
AIP
OSA
SPIE
電子情報通信学会
レーザー学会
東北工学教育協会
日本工学教育協会
日本工学アカデミー

業 績 目 録

I. 著書

1. 光通信ハンドブック
宮城光信・共著（多数）
朝倉書店，昭和52年9月
2. レーザー100の知識
宮城光信・共著（多数）
東京図書，平成元年9月
3. 光伝送の基礎
宮城光信（単著）
昭晃堂，平成3年5月
4. 電気回路演習
宮城光信・馬場一隆共著
昭晃堂，平成16年4月

II. 研究論文（査読つき学術雑誌）

1. Scattering of electromagnetic waves by a cylindrically inhomogeneous plasma
J. Phys. Soc. Jpn., Vol. 24, 172-184, 1968
M. Miyagi, G. Sato, and K. Takaku
2. TM-type soliton in nonlinear self-focusing media
Proc. IEEE, vol.62, 1284-1285, 1974
M. Miyagi and S. Nishida
3. Bending losses of a doubly clad slab waveguide
Opt. Commun., Vol. 14, 123-125, 1975
M. Miyagi, S. Kawakami, and S. Nishida
4. 円筒形ガウスビームによるクラッド形光ファイバーの励振に関する理論的考察
電子通信学会論文誌（C），Vol. 58-C, 355-362, 1975
宮城光信，米山務，西田茂穂
5. 非線形誘電体板に沿う表面波
電子通信学会論文誌（C），Vol. 58-C, 363-369, 1975
宮城光信，西田茂穂

6. Bending losses of dielectric slab optical waveguide with double or multiple claddings : theory
Appl. Opt., Vol. 14, 2588-2597, 1975
S. Kawakami, M. Miyagi, and S. Nishida
7. TM waves in nonlinear self-focusing media
Radio Sci., Vol. 10, 833-838, 1975
M. Miyagi and S. Nishida
8. Field deformation and polarization change in a step-index optical fibre due to bending
Opt. Quantum Electron., Vol. 8, 335-341, 1976
M. Miyagi and G. L. Yip
9. Mode conversion and radiation losses in a step-index optical fibre due to bending
Opt. Quantum Electron., Vol. 9, 51-60, 1977
M. Miyagi and G. L. Yip
10. Transmission characteristics of a dielectric-tube waveguide with an outer higher-index cladding
Electron. Lett., Vol. 13, 274-275, 1977
M. Miyagi and S. Nishida
11. 光ファイバ伝送の基礎 [V]
電子情報通信学会誌, Vol. 60, 1047-1056, 1977
川上彰二郎, 宮城光信
12. Bending losses of dielectric rectangular waveguide for integrated optics
J. Opt. Soc. Am., Vol. 68, 316-319, 1978
M. Miyagi and S. Nishida
13. Design theory of high-Q optical ring resonator with asymmetric three-layered dielectrics
Opt. Quantum Electron., Vol. 10, 425-433, 1978
M. Miyagi and G. L. Yip
14. Measurement of mode conversion coefficients and mode dependent losses in a multimode fiber
Appl. Opt., Vol. 17, 3238-3244, 1978
M. Miyagi, S. Kawakami, M. Ohashi, and S. Nishida

15. An approximate formula for dispersion properties of optical dielectric slab and fiber waveguides
J. Opt. Soc. Am., Vol. 69, 291-293, 1979
M. Miyagi and S. Nishida
16. Pulse spreading in a single-mode fiber due to third-order dispersion
Appl. Opt., Vol. 18, 678-682, 1979
M. Miyagi and S. Nishida
17. Pulse spreading in a single-mode fiber due to third-order dispersion -effect of optical source bandwidth
Appl. Opt., Vol. 18, 2237-2240, 1979
M. Miyagi and S. Nishida
18. Excitation and splicing of the step-index W-fiber
Canad. J. Phys, Vol. 57, 1319-1323, 1979
M. Miyagi and G. L. Yip
19. Further discussions of approximate formula describing dispersion properties of dielectric optical waveguides
J. Opt. Soc. Am., Vol. 69, 1373-1376, 1979
M. Miyagi and S. Nishida
20. Leaky TE modes in an asymmetric three-layered slab waveguide
J. Opt. Soc. Am., Vol. 70, 48-52, 1980
K. Ogusu, M. Miyagi, and S. Nishida
21. A proposal of low loss leaky waveguide for submillimeter waves transmission
IEEE Trans. Microwave Theory Tech., Vol. MTT-28, 398-400, 1980
M. Miyagi and S. Nishida
22. Transmission characteristics of dielectric tube leaky waveguide
IEEE Trans. Microwave Theory Tech., Vol. MTT-28, 536-541, 1980
M. Miyagi and S. Nishida
23. Bending losses in hollow and dielectric tube leaky waveguides
Appl. Opt., Vol. 20, 1221-1229, 1981
M. Miyagi
24. Bent asymmetric dielectric slab waveguides : a detailed analysis
Appl. Opt., Vol. 20, 2291-2298, 1981
Y. Takuma, M. Miyagi, and S. Kawakami

25. Losses and phase constant changes caused by bends in the general class of hollow waveguides for the infrared
Appl. Opt., Vol. 20, 4221-4226, 1981
M. Miyagi and S. Kawakami
26. Experimental verification of edge guidance in a thin film waveguide
Appl. Opt., Vol. 21, 2870-2872, 1982
Y. Takuma, M. Miyagi, and S. Kawakami
27. Measurements of field deformations caused by bends in a single mode-optical fiber
Appl. Opt., Vol. 22, 3678-3680, 1983
Z. W. Bao, M. Miyagi, and S. Kawakami
28. Fabrication of germanium-coated nickel hollow waveguides for infrared transmission
Appl. Phys. Lett., Vol. 43, 430-432, 1983
M. Miyagi, A. Hongo, Y. Aizawa, and S. Kawakami
29. Transmission characteristics of dielectric-coated metallic waveguide for infrared transmission : slab waveguide model
IEEE J. Quantum Electron., Vol. QE-19, 136-145, 1983
M. Miyagi, A. Hongo, and S. Kawakami
30. Waveguide loss evaluation by the ray-optics method
J. Opt. Soc. Am. A, Vol. 73, 486-489, 1983
M. Miyagi and S. Kawakami
31. CO₂ レーザー光用誘電体内装金属中空導波路
レーザー研究, Vol. 11, 845-852, 1983
宮城光信
32. インピーダンス面をもつ円形中空導波路の曲げ損失
信学論 C, Vol. J66-C, 880-881, 1983
宮城光信, 原田和英, 川上彰二郎
33. Failure of scalar analyses in dielectric optical waveguides with perturbed refractive-index profile
Electron. Lett., Vol. 20, 904-905, 1984
M. Miyagi and S. Nishida

34. Design theory of dielectric-coated circular metallic waveguides for infrared transmission
IEEE J. Lightwave Technol., Vol. LT-2, 116-126, 1984
M. Miyagi and S. Kawakami
35. Wave propagation and attenuation in the general class of circular hollow waveguides with uniform curvature
IEEE Trans. Microwave Theory Tech., Vol. MTT-32, 513-521, 1984
M. Miyagi, K. Harada, and S. Kawakami
36. Low radiation loss Y-junction in planar dielectric optical waveguides
Opt. Commun., Vol. 51, 236-238, 1984
O. Hanaizumi, M. Miyagi, and S. Kawakami
37. Uniform bend loss of the TE_{0q} mode in circular waveguides with small surface impedance and large surface admittance
Electron. Lett., Vol. 21, 1009-1010, 1985
M. Miyagi, K. Nii, and S. Nishida
38. Waveguide loss evaluation in circular hollow waveguides and its ray-optical treatment
IEEE J. Lightwave Technol., Vol. LT-3, 303-307, 1985
M. Miyagi
39. Study of vectorial properties of optical fiber modes using a fiber resonator
IEEE J. Lightwave Technol., Vol. LT-3, 361-367, 1985
K. Miura, M. Miyagi, and S. Kawakami
40. Wide Y-junctions with low losses in three dimensional optical dielectric waveguides
IEEE J. Quantum Electron., Vol. QE-21, 168-173, 1985
O. Hanaizumi, M. Miyagi, and S. Kawakami
41. Complex propagation constants of bent hollow waveguides with arbitrary cross section
IEEE Trans. Microwave Theory Tech., Vol. MTT-33, 15-19, 1985
M. Miyagi
42. Vector analyses of propagation constants in dielectric optical waveguides with perturbed refractive index profile
IEEE Trans. Microwave Theory Tech., Vol. MTT-33, 667-673, 1985
M. Miyagi and S. Nishida

43. Power handling capability of dielectric-coated metallic hollow waveguides for CO₂ laser light
Opt. Laser Technol., Vol. 17, 135-138, 1985
Y. Hiratani, M. Miyagi, and S. Nishida
44. Fabrication of dielectric-coated metallic- hollow waveguides for infrared radiation by the electrodeposition of germanium
Opt. Laser Technol., Vol. 17, 197-200, 1985
M. Miyagi, Y. W. Shimada, and S. Nishida
45. Thin film-coated waveguide CO₂ laser
IEEE J. Quantum Electron., Vol. QE-22, 1604-1608, 1986
A. Hongo, M. Miyagi, Y. Wagatsuma, and S. Nishida
46. Fabrication and transmission properties of electrically deposited germanium-coated waveguides for infrared radiation
J. Appl. Phys., Vol. 60, 454-456, 1986
M. Miyagi, Y. Shimada, A. Hongo, K. Sakamoto, and S. Nishida
47. 電気めつき法によって製作された赤外用ゲルマニウム内装円形中空導波路
信学論 C, Vol. J69-C, 1159-1165, 1986
宮城光信, 島田洋一, 本郷晃史, 西田茂穂
48. Aluminum anodizing technique for fabricating optical thin-film waveguides : a proposal
Appl. Opt., Vol. 26, 970-971, 1987
M. Miyagi, Y. Hiratani, T. Taniguchi, and S. Nishida
49. Temperature distribution along oversized hollow-core waveguides for infrared radiation
Appl. Opt., Vol. 26, no. 21, 4581-4586, 1987
S. Karasawa, M. Miyagi, and S. Nishida
50. New formalism of curvature losses of leaky modes in doubly clad slab waveguides
J. Opt. Soc. Am. A, Vol. 4, 678-682, 1987
M. Miyagi, S. Matsuo, and S. Nishida
51. Output power characteristics of thin film-coated waveguide CO₂ lasers
Opt. Commun., Vol. 61, 229-232, 1987
M. Miyagi, Y. Wagatsuma, A. Hongo, and S. Nishida

52. Excitation dependent losses and temperature increase in various hollow waveguides at $10.6\ \mu\text{m}$
Opt. Laser Technol., Vol. 19, 214-216, 1987
A. Hongo, M. Miyagi, K. Sakamoto, S. Karasawa, and S. Nishida
53. アルミニウム陽極酸化膜の光透過特性
信学論 C, Vol. J70-C, 1447-1448, 1987
谷口敏光, 宮城光信, 西田茂穂
54. Spectral attenuation of incoherent ir light in circular hollow waveguides
Appl. Opt., Vol. 27, 4169-4170, 1988
M. Miyagi, Y. Matsuura, M. Saito, and A. Hongo
55. Optical and mechanical properties of infrared fibers
IEEE J. Lightwave Technol., Vol. LT-6, 233-239, 1988
M. Saito, M. Takizawa, and M. Miyagi
56. Relation between predictions of geometrical-optics and wave-optics methods for the modal attenuation constant in an overmoded bent hollow slab waveguide
J. Opt. Soc. Am. A, Vol. 5, 1048-1049, 1988
M. Miyagi
57. A comparative study of rectangular and circular dielectric coated metallic waveguides for CO_2 laser light : theory
Opt. Commun., Vol. 68, 18-20, 1988
M. Miyagi and S. Karasawa
58. 鉛ガラスを用いた薄膜内装導波路型 CO_2 レーザ
信学論 C, Vol. J71-C, 960-962, 1988
我妻寿彦, 本郷晃史, 宮城光信
59. 陽極酸化アルミナ膜の屈折率分布と異方性
信学論 C, Vol. J71-C, 1714-1715, 1988
谷口敏光, 宮城光信
60. Micropolarizer using anodized alumina with implanted metallic columns: theoretical analysis
Appl. Opt., Vol. 28, 3529-3533, 1989
M. Saito and M. Miyagi

61. Micropolarizer made of the anodized alumina film
Appl. Phys. Lett., Vol. 55, 607-609, 1989
M. Saito, M. Kiriwara, T. Taniguchi, and M. Miyagi
62. Infrared optical fibers with vapor-deposited cladding layer
IEEE J. Lightwave Technol., Vol. 7, 158-162, 1989
M. Saito, M. Takizawa, and M. Miyagi
63. Loss characteristics of circular hollow waveguides for incoherent infrared light
J. Opt. Soc. Am. A, Vol. 6, 423-427, 1989
Y. Matsuura, M. Saito, M. Miyagi, and A. Hongo
64. Anisotropic optical loss and birefringence of anodized alumina film
J. Opt. Soc. Am. A, Vol. 6, 1895-1900, 1989
M. Saito and M. Miyagi
65. Relationship between field shift and phase constant change in two-dimensional three-layered dielectric or hollow waveguides due to uniform bends
Opt. Quantum Electron., Vol. 21, 63-67, 1989
M. Miyagi
66. Centroid shift of power flow in gently bent circular hollow or dielectric waveguide
Opt. Quantum Electron., Vol. 21, 73-75, 1989
M. Miyagi
67. CO₂ レーザ光用誘電体内装方形中空導波路の製作
Trans.IEICE, Vol. J72-C-I, 637-641, 1989
柄沢 智, 宮城光信, 中村 努, 石川 齊
68. 陽極酸化法で製作したアルミナ薄膜の光学的性質
Trans.IEICE, Vol. J72-C-II, 832-836, 1989
谷口敏光, 宮城光信
69. アルミニウムアノード酸化皮膜の構造と機能化：光機能素子への応用
表面技術, Vol. 40, 1336-1339, 1989
斉藤光徳, 宮城光信
70. Waveguide losses in sharply bent circular hollow waveguides
Appl. Opt., Vol. 29, 367-370, 1990
M. Miyagi and S. Karasawa

71. Dielectric-coated metallic hollow waveguide for 3- μ m Er:YAG, 5- μ m CO, and 10.6- μ m CO₂ laser light transmission
Appl. Opt., Vol. 29, 2213-2214, 1990
Y. Matsuura, A. Hongo, and M. Miyagi
72. Spectral bending losses of incoherent ir light in circular waveguides
Appl. Opt., Vol. 29, 2214-2216 1990
Y. Matsuura, M. Karasawa, M. Miyagi, and H. Ishikawa
73. Transmission characteristics of germanium thin-film-coated metallic hollow waveguides for high-powered CO₂ laser light
IEEE J. Quantum Electron., Vol. 26, 1510-1515, 1990
A. Hongo, K. Morosawa, T. Shiota, Y. Matsuura, and M. Miyagi
74. Fabrication of low-loss zinc-selenide coated silver hollow waveguides for CO₂ laser light
J. Appl. Phys., Vol. 68, 5463-5464, 1990
Y. Matsuura, M. Miyagi, and A. Hongo
75. Bending losses of incoherent light in circular hollow waveguides
J. Opt. Soc. Am. A, Vol. 7, 2063-2068, 1990
M. Saito, Y. Matsuura, M. Kawamura, and M. Miyagi
76. Loss reduction of dielectric-coated metallic hollow waveguides for CO₂ laser light transmission
Opt. Laser Technol., Vol. 22, 141-145, 1990
Y. Matsuura, M. Miyagi, and A. Hongo
77. Temperature distribution along oversized hollow-core waveguides for CO₂ laser radiation
Opt. Laser Technol., Vol. 22, 213-216, 1990
M. Miyagi and T. Toriya
78. Residual aluminum and its dichroism in anodized alumina thin films
Opt. Lett., Vol. 15, 253-254, 1990
M. Okano, T. Taniguchi, M. Saito, and M. Miyagi
79. Lasers and waveguides
Optoelectronics, Vol. 5, 107-108, 1990
M. Miyagi

80. 全めっき法による誘電体内装導波路の新しい製作法
信学論 C, Vol. J73-C-I, 481-483, 1990
加藤祐次, 松浦祐司, 中村 努, 宮城光信
81. 大電流密度で陽極酸化されたアルミナ膜の偏光特性
信学論 C, Vol. J73-C-II, 829-834, 1990
岡野守, 齊藤光徳, 宮城光信
82. TiO₂-SiO₂ based glasses for infrared hollow waveguides
Appl. Opt., Vol. 30, 1074-1079, 1991
N. Nagano, M. Saito, M. Miyagi, N. Baba, and N. Sawanobori
83. Optical loss distribution in anodically oxidized alumina with a 2-D structure
Appl. Opt., Vol. 30, 2257-2262, 1991
M. Saito, M. Kumagai, M. Miyagi, and K. Wada
84. Core-radius dependency of mode transition and attenuation constants in circular hollow waveguides for the infrared
Appl. Opt., Vol. 30, 3790-3792, 1991
Y. Kato and M. Miyagi
85. Transmission of 1 kw-class CO₂ laser light through circular hollow waveguides for material processing
Appl. Phys. Lett., Vol. 58, 1582-1584, 1991
A. Hongo, K. Morosawa, T. Shiota, K. Suzuki, S. Iwasaki, and M. Miyagi
86. Prediction of optical losses in SiO₂- and GeO₂-based glass hollow waveguides for the infrared
Appl. Phys. Lett., Vol. 58, 1807-1809, 1991
N. Nagano, M. Saito, M. Miyagi, N. Baba, and N. Sawanobori
87. Low-loss lead fluoride-coated square waveguides for CO₂ laser light transmission
Electron. Lett., Vol. 27, 2068-2070, 1991
H. Machida, H. Ishikawa, and M. Miyagi
88. Transmission and attenuation of the dominant mode in uniformly bent circular hollow waveguides for the infrared : scalar analysis
IEEE Trans. Microwave Theory Tech., Vol. 39, 230-238, 1991
S. Abe and M. Miyagi

89. Refractive indices of SiO₂- and GeO₂-based glasses near the infrared absorption peaks
J. Non-Cryst. Solids, Vol. 135, 114-121, 1991
N. Nagano, M. Saito, M. Miyagi, N. Baba, and N. Sawanobori
90. Anisotropic optical media from laminated island films : theory
J. Opt. Soc. Am. A, Vol. 8, 619-624, 1991
K. Baba and M. Miyagi
91. Optical polarizer using anisotropic metallic island films with a large aperture and a high extinction ratio
Opt. Lett., Vol. 16, 964-966, 1991
K. Baba and M. Miyagi
92. CO₂ gas sensor using acousto-optic bragg diffraction in As₂Se₃ glass
Rev. Sci. Instrum., Vol. 62, 2105-2108, 1991
M. Saito and M. Miyagi
93. Ni-plated anodic alumina film for optical polarizer
Trans. IEICE Japan, Vol. E74, 3861-3866, 1991
T. Seki, M. Saito, and M. Miyagi
94. Measurement of the refractive index and thickness for infrared optical films deposited on rough substrates
Appl. Opt., Vol. 31, 6139-6144, 1992
M. Saito, S. Nakamura, and M. Miyagi
95. Bending losses and beam profiles of zinc selenide-coated silver waveguides for carbon dioxide laser light
Appl. Opt., Vol. 31, 6441-6445, 1992
Y. Matsuura and M. Miyagi
96. Transmission properties of rectangular hollow waveguides for CO₂ laser light
Appl. Opt., Vol. 31, 7617-7622, 1992
H. Machida, Y. Matsuura, H. Ishikawa, and M. Miyagi
97. Low-loss metallic hollow waveguides coated with durable and nontoxic ZnS
Appl. Phys. Lett., Vol. 61, 1622- 1623, 1992
Y. Matsuura and M. Miyagi

98. Three-dimensional optical disks using metallic island films : a proposal
Electron. Lett., Vol. 28, 676-678, 1992
K. Baba, R. Yamada, S. Nakao, and M. Miyagi
99. Anomalous loss behavior in circular quartz glass hollow waveguide with random inner surface around resonance wavelength at infra-red
Electron. Lett., Vol. 28, 1813-1814, 1992
K. Takatani, Y. Matsuura, and M. Miyagi
100. Write-once optical disc media with large change of reflectance using copper island films
Electron. Lett., Vol. 28, 2163-2165, 1992
K. Baba, K. Hayashi, and M. Miyagi
101. Modes and attenuation constants in circular hollow waveguides with small core diameters for the infrared
IEEE Trans. Microwave Theory Tech., Vol. 40, 679-685, 1992
Y. Kato and M. Miyagi
102. Transmission and attenuation of vector modes in uniformly bent circular hollow waveguides for the infrared
IEEE Trans. Microwave Theory Tech., Vol. 40, 903-909, 1992
S. Abe and M. Miyagi
103. Radiation thermometer and gas sensor using chalcogenide glass fibers
International J. Optoelectronics, Vol. 7, 375-384, 1992
M. Saito, M. Miyagi, T. Kuritani, and F. Tanei
104. Infrared optical constants of anodic alumina films with micropore arrays
Jpn. J. Appl. Phys., Vol. 31, 3589-3593, 1992
S. Nakamura, M. Saito, L.F. Huang, M. Miyagi, and K. Wada
105. Optical anisotropy of stretched gold island films : experimental results
Opt. Lett., Vol. 17, 622-624, 1992
K. Baba, J. Katsu, and M. Miyagi
106. Radiation thermometry for low temperature using an infrared hollow waveguide
Optical Engineering, Vol. 31, 1793-1799, 1992
M. Saito, S. Sato, and M. Miyagi

107. 光学異方性を持つアルミナ人工誘電体
光学, Vol. 21, 282-283, 1992
斉藤光徳, 黄礼豊, 宮城光信
108. 大きな光学的異方性をもつ島状構造金薄膜の作製
信学論 C, Vol. J75-C-I, 647-651, 1992
勝淳一郎, 馬場一隆, 宮城光信
109. 医療分野に応用する炭酸ガスレーザー光用細径伝送路の製作
表面技術, Vol. 43, 750-754, 1992
加藤祐次, 宮城光信
110. Graded index profile of anodic alumina films that is induced by conical pores
Appl. Opt., Vol. 32, 2039-2044, 1993
L. Huang, M. Saito, M. Miyagi, and K. Wada
111. Multifrequency three-dimensional optical read-only memory disks using
metallic island films: preliminary experiments
Appl. Opt., Vol. 32, 3137-3143, 1993
K. Baba, R. Yamada, S. Nakao, and M. Miyagi
112. Silver-gold compound metal island films prepared by using a two-step
evaporation method
Appl. Phys. Lett., Vol. 62, 437-439, 1993
K. Baba, T. Okuno, and M. Miyagi
113. Infrared hollow waveguides for capillary flow cell
Appl. Spectroscopy, Vol. 47, 1665-1669, 1993
S. Sato, M. Saito, and M. Miyagi
114. Coupler-type waveguide polariser using metal island films: its mechanism and
design
Electron. Lett., Vol. 29, 536-538, 1993
T. Nakano, K. Baba, and M. Miyagi
115. Laser writing of submicrometre lines on copper island films
Electron. Lett., Vol. 29, 1948-1949, 1993
K. Baba, K. Hayashi, and M. Miyagi

116. Asymptotic analysis of mode transition in general class of circular hollow waveguides at the infrared frequency
IEEE Trans. Microwave Theory Tech., Vol. 41, 733-736, 1993
Y. Kato and M. Miyagi
117. Unoxidized aluminum particles in anodic alumina films
J. Electrochem. Soc., Vol. 140, 1907-1911, 1993
M. Saito, Y. Shiga, and M. Miyagi
118. Loss characteristics of infrared hollow waveguides in multimode transmission
J. Opt. Soc. Am. A, Vol. 10, 277-282, 1993
M. Saito, S. Sato, and M. Miyagi
119. Polarization characteristics of alumina films anodized at low temperature
Jpn. J. Appl. Phys., Vol. 32, 3169-3174, 1993
L. Huang, M. Saito, and M. Miyagi
120. Er:YAG, CO, and CO₂ laser delivery by ZnS-coated Ag hollow waveguides
Appl. Opt., Vol. 32, 6598-6601, 1993
Y. Matsuura and M. Miyagi
121. 中空導波路による光エネルギー伝送
応用物理, Vol. 62, 44-46, 1993
松浦祐司, 宮城光信
122. Cube polarisers by the use of metal particles in anodic alumina films
Appl. Opt., Vol. 33, 3507-3512, 1994
K. Takano, M. Saito, and M. Miyagi
123. Local attenuation and field changes in uniformly bent overmoded slab hollow waveguide
Electron. Lett., Vol. 30, 264-265, 1994
S. Abe and M. Miyagi
124. Polarization function induced by metal particles
Electron. Lett., Vol. 30, 736-737, 1994
T. Kano, M. Saito, and M. Miyagi
125. Numerical analysis of mode structures and attenuations in dielectric-coated circular hollow waveguides for the infrared
IEEE Trans. Microwave Theory Tech., Vol. 42, 2336-2342, 1994
Y. Kato and M. Miyagi

126. Microwire arrays for infrared polarizers
Infrared Phys. Technol., Vol. 35, 709-714, 1994
M. Saito, T. Kano, T. Seki, and M. Miyagi
127. Light scattering by liquid crystals in columnar micropores
J. Appl. Phys., Vol. 75, 4744-4746, 1994
M. Saito, S. Nakamura, and M. Miyagi
128. Insertion loss and extinction ratio of a surface plasmon-polariton polarizer:
theoretical analysis
J. Opt. Soc. Am. B, Vol. 11, 2030-2035, 1994
T. Nakano, K. Baba, and M. Miyagi
129. Hollow glass waveguides for mid-infrared light transmission
Jpn. J. Appl. Phys., Vol. 33, 164-168, 1994
M. Saito, N. Baba, N. Sawanobori, and M. Miyagi
130. Graphical representation of mode selectivity in hollow waveguides with and
without inner dielectric layer: slab waveguide model
Opt. Commun., Vol. 108, 234-236, 1994
M. Nomoto, S. Abe, and M. Miyagi
131. Optical waveguides fabricated in anodic alumina films
Opt. Lett., Vol. 19, 710-712, 1994
M. Saito, M. Shibasaki, S. Nakamura, and M. Miyagi
132. Simple method to fabricate a polarizer with a large aperture by the use of
anodic alumina films
Appl. Opt., Vol. 34, 3662-3667, 1995
L. Huang and M. Miyagi
133. Theoretical and experimental investigations of loss behavior in the infrared in
quartz hollow waveguides with rough inner surfaces
Appl. Opt., Vol. 34, 4352-4357, 1995
K. Takantani, Y. Matsuura, and M. Miyagi
134. Loss characteristics of polyimide-coated silver hollow glass waveguides for the
infrared
Electron. Lett., Vol. 31, 31-32, 1995
Y. Kato, M. Osawa, M. Miyagi, S. Abe, M. Aizawa, and S. Onodera

135. Durable write-once optical disk memories for 800 nm using silver island films
Electron. Lett., Vol. 31, 1495-1496, 1995
K. Hayashi, K. Baba, and M. Miyagi
136. Optical constants of magnetic fluids and their application to optical switches
IEICE Trans. Electron., Vol. E78-C, 1465-1469, 1995
M. Saito, M. Takakuwa, and M. Miyagi
137. Optical constants of polymer coatings in the infrared
Infrared Physics & Technology, Vol. 36, 1125-1129, 1995
M. Saito, T. Gojo, Y. Kato, and M. Miyagi
138. Resonance wavelengths of silver-gold compound metal island films
J. Opt. Soc. Am. B, Vol. 12, 2372-2376, 1995
K. Baba, T. Okuno, and M. Miyagi
139. Optical transmittance of anodically oxidized aluminum alloy
Jpn. J. Appl. Phys., Vol. 34, 3134-3138, 1995
M. Saito, Y. Shiga, M. Miyagi, K. Wada, and S. Ono
140. Transmission of 1.6 J Er:YAG laser light by ZnS-coated silver hollow waveguides
Opt. Laser Technol., Vol. 27, 389-391, 1995
T. Watanabe, M. Miyagi, S. Schrunder, T. Ertl, G. Muller, and L. Beerstecher
141. Fabrication of fluorocarbon polymer-coated silver hollow-glass waveguides for the infrared by the liquid-phase coating method
Opt. Laser Technol., Vol. 27, 393-396, 1995
M. Osawa, Y. Kato, T. Watanabe, M. Miyagi, S. Abe, M. Aizawa, and S. Onodera
142. Optical loss anisotropy of alumina films that contain liquid crystals
Optical Engineering, Vol. 34, 3554-3559, 1995
M. Saito, D. Tobise, and M. Miyagi
143. Magneto-optic media composed of ferromagnetic metal island films for glass and semiconductor substrates
Electron. Lett., Vol. 32, 222-224, 1996
K. Baba, F. Takase, and M. Miyagi

144. Ultrathin polarizing films for the near-infrared region consisting of stacked anisotropic gold island films
Opt. Lett., Vol. 21, 1195-1197, 1996
M. Takakuwa, K. Baba, and M. Miyagi
145. Fabrication of silver hollow nickel waveguides with multiple inner dielectric layers by the outer-coating method
Opt. Lett., Vol. 21, 1670-1672, 1996
T. Watanabe, H. Hiraga, Y. Abe, and M. Miyagi
146. 希薄化された金属封入アルミナ膜を用いた大口径偏光子の製作
信学論 C-I, Vol. J79-C-I, 468-472, 1996
飛世大介, 宮城光信
147. Simultaneous measurement of optical constants of dispersive material at visible and infrared wavelengths
Appl. Opt., Vol. 36, 877-884, 1997
Y. Wang and M. Miyagi
148. Write-once optical data storage media with large reflectance change with metal-island films
Appl. Opt., Vol. 36, 2421-2426, 1997
K. Baba, K. Hayashi, I. Syuaib, K. Yamaki, and M. Miyagi
149. Thickness and uniformity of fluorocarbon polymer film dynamically coated inside silver hollow glass waveguides
Appl. Opt., Vol. 36, 2886-2892, 1997
Y. Wang, A. Hongo, Y. Kato, T. Shimomura, D. Miura, and M. Miyagi
150. Lensed-taper launching coupler for small-bore, infrared hollow fibers
Appl. Opt., Vol. 36, 7818-7821, 1997
Y. Matsuura, H. Hiraga, Y. Wang, Y. Kato, M. Miyagi, S. Abe, and S. Onodera
151. Submicrometre-thick optical polarising films for 800nm using stretched silver island films
Electron. Lett., Vol. 33, 979-980, 1997
K. Yamaki, K. Baba, and M. Miyagi
152. Compact-disc compatible wideband write-once optics disc memories using multilayered ultra-thin silver films
Electron. Lett., Vol. 33, 1062-1063, 1997
K. Baba, T. Deguchi, K. Yamaki, and M. Miyagi

153. Ferromagnetic particle composite polymer films for glass and semiconductor substrates
Opt. Commun., Vol. 139, 35-38, 1997
K. Baba, F. Takase, and M. Miyagi
154. Simplified technique of fabricating dielectric-coated silver hollow nickel waveguides by the outer-coating method of the liquid phase process
Opt. Laser Technol., Vol. 29, 79-82, 1997
Y. Abe, T. Watanabe, H. Hiraga, and M. Miyagi
155. Small-bore fluorocarbon polymer-coated silver hollow glass waveguides for Er:YAG laser light
Opt. Laser Technol., Vol. 29, 455-461, 1997
Y. Wang, Y. W. Shi, Y. Matsuura, and M. Miyagi
156. Silver-halide fiber tip as a beam homogenizer for infrared hollow waveguides
Opt. Lett., Vol. 22, 1308-1310, 1997
Y. Matsuura, M. Miyagi, A. German, L. Nagli, and A. Katzir
157. Fabrication techniques and characteristics of ultra-thin optical polarizing films using gold island films
Optical Review, Vol. 4, 411-416, 1997
K. Baba, M. Takakuwa, and M. Miyagi
158. Means and variances in time series described by unidirectional random walks
Prog. Theor. Phys., Vol. 98, 733-737, 1997
H. Hara, S. Seok Lee, M. Miyagi, and S. Fujita
159. 銀鏡反応法による低損失細径銀中空ガラス導波路の製作
レーザー研究, Vol. 25, 438-449, 1997
久保田 智, 加藤 祐次, 阿部 眞一, 小野寺 信治, 赤間 洋助, 馬場 一隆, 宮城 光信
160. 2段階実効媒質理論とその陽極酸化アルミナ膜の光学特性予測への応用
電子情報通信学会論文誌 C-I, Vol. J80-C-I, 469-473, 1997
渥美 俊之, 宮城 光信
161. パルス電圧印加低温陽極酸化法による高性能アルミナ偏光膜の作製とそのバルク型偏光子への応用
電子情報通信学会論文誌 C-I, Vol. J80-C-I, 474-478, 1997
渥美 俊之, 宮城 光信

162. Robust hollow devices and waveguides for Er:YAG laser radiation
Opt. Laser Technol., Vol. 29, 449-453, 1997
Y. Wang, Y. Matsuura, and M. Miyagi
163. Optical and magneto-optical properties of copper-nickel compound metal island films
Appl. Opt., Vol. 37, 98-102, 1998
K. Baba, F. Mizuno, F. Takase, and M. Miyagi
164. Refractive indices and extinction coefficients of polymers for the mid-infrared region
Appl. Opt., Vol. 37, 7091-7095, 1998
Y. Wang, Y. Abe, Y. Matsuura, M. Miyagi, and H. Uyama
165. Cyclic olefin polymer-coated silver hollow glass waveguides for the infrared
Appl. Opt., Vol. 37, 7758-7762, 1998
Y. W. Shi, Y. Wang, Y. Abe, Y. Matsuura, M. Miyagi, S. Sato, M. Taniwaki, and H. Uyama
166. Cube add/drop optical filter with low polarisation sensitivity using a metal island multilayer filters
Electron. Lett., Vol. 34, 1510-1512, 1998
K. Baba, T. Hasegawa, and M. Miyagi
167. Polymer-coated hollow fiber for CO₂ laser delivery
Opt. Lett., Vol. 23, 89-90, 1998
Y. Abe, Y. Matsuura, Y. W. Shi, Y. Wang, H. Uyama, and M. Miyagi
168. Flexible hollow waveguides for delivery of excimer-laser light
Opt. Lett., Vol. 23, 1226-1228, 1998
Y. Matsuura and M. Miyagi
169. Hollow-fiber delivery of high-power pulsed Nd:YAG laser light
Opt. Lett., Vol. 23, 1858-1860, 1998
Y. Matsuura, K. Hanamoto, S. Sato, and M. Miyagi
170. 中空ファイバ用レンズ付きテーパ型入射結合器の設計とその特性
レーザー研究, Vol. 26, 331-334, 1998
平賀 元, 松浦祐司, 宮城光信, 小野寺信治, J. A. Harrington

171. 島状銀積層膜を用いた超薄型高性能偏光フィルム
電子情報通信学会論文誌 C-I, Vol. J81-C-I, 247-253, 1998
八巻 城, 馬場一隆, 宮城光信
172. Fabrication of copper oxide-coated hollow waveguides for CO₂ laser radiation
Appl. Opt., Vol. 38, 1700-1703, 1999
Y. Matsuura, D. Miura, and M. Miyagi
173. Silver-gold compound metal island films for durable write-once optical disk memories
Electron. Lett., Vol. 35, 497-498, 1999
K. Baba, Y. Ohkuma, and M. Miyagi
174. 中空ファイバによるレーザー光伝送
レーザー研究, Vol. 27, 173-177, 1999
松浦祐司, 宮城光信
175. Patterned optical polarising films fabricated by laser writing on stretched silver island multilayers
Electron. Lett., Vol. 35, 1249-1251, 1999
K. Baba, T. Yoshitake, Y. Sato, and M. Miyagi
176. High-power Nd:YAG laser picosecond pulse delivery by a polymer-coated silver hollow-glass waveguide
Opt. Lett., Vol. 24, 957-959, 1999
H. Jelinkova, J. Sulc, P. Cerny, Y. W. Shi, Y. Matsuura, and M. Miyagi
177. Optical characteristics of stretched silver island multilayers for submicrometer-thick optical polarizing films
Appl. Opt., Vol. 38, 2564-2569, 1999
K. Baba, K. Yamaki, and M. Miyagi
178. Aluminum-coated hollow glass fibers for ArF-excimer laser light fabricated by metallorganic chemical-vapor deposition
Appl. Opt., Vol. 38, 2458-2462, 1999
Y. Matsuura and M. Miyagi
179. パルスレーザー伝送用中空光ファイバー
応用物理, Vol. 68, 41-43, 1999
松浦祐司, 宮城光信

180. エキシマレーザー用アルミニウム中空ファイバ
光アライアンス, Vol. 10, 20-22, 1999
松浦祐司, 宮城光信
181. Low loss smart hollow waveguides with new polymer coating material
Opt. Laser Technol., Vol. 13, 135-140, 1999
Y. W. Shi, Y. Abe, Y. Matsuura, and M. Miyagi
182. Vacuum-cored hollow waveguide for transmission of high-energy, nanosecond
Nd:YAG laser pulses and its application to biological tissue ablation
Opt. Lett., Vol. 25, 49-51, 2000
S. Sato, H. Ashida, T. Arai, Y. W. Shi, Y. Matsuura, and M. Miyagi
183. Flexible small-bore hollow fibers with an inner polymer coating
Opt. Lett., Vol. 25, 150-152, 2000
Y. Abe, Y. W. Shi, Y. Matsuura, and M. Miyagi
184. Write-once optical data storage media for shorter wavelengths using
aluminium-silver compound metal island films
Electron. Lett., Vol. 36, 453-454, 2000
K. Baba, Y. Ohkuma, and M. Miyagi
185. Fabrication and patterning of submicrometer-thick optical polarizing films for
800 nm using stretched silver island multilayers
Optical Review, Vol. 7, 209-215, 2000
K. Baba, Y. Sato, T. Yoshitake, and M. Miyagi
186. Delivery of F₂-excimer laser light by aluminum hollow fibers
Optics Express, Vol. 6, 257-261, 2000
Y. Matsuura, T. Yamamoto, and M. Miyagi
187. Er:YAG レーザー光用中空テーパ型入射結合器
レーザー研究, Vol. 28, 516-519, 2000
八重樫大, 松浦祐司, 宮城光信
188. Infrared-laser delivery system based on polymer-coated hollow fibers
Opt. Laser Technol., Vol. 33, 279-283, 2001
Y. Matsuura, Y. W. Shi, Y. Abe, M. Yaegashi, G. Takada, S. Mohri, and M.
Miyagi

189. Silver-based compound metal island films for write-once optical data-storage media
Appl. Opt., Vol. 40, 2796-2804, 2001
K. Baba, Y. Ohkuma, T. Yonezawa, and M. Miyagi
190. Properties of hollow bent output tips in CO₂ laser light delivery system
Opt. Laser Technol., Vol. 33, 225-230, 2001
Y. W. Shi, Z. Pan, Y. Matsuura, Y. Konno, Y. Aizawa, and M. Miyagi
191. Nd:YAP 1.34-/1.08-micron laser passively mode-locked and Q-switched by V³⁺:YAG/BDN II saturable absorbers with efficient radiation delivery through a hollow glass waveguide coated with COP/Ag
Opt. Eng., Vol. 41, 1976-1982, 2002
H. Jelinkova, P. Cerny, J. Sulc, J. K. Jabczynski, K. Kopczynski, Z. Mierczyk, M. Miyagi, Y. Matsuura, and Y. W. Shi
192. Equivalent complex refractive indices for ray-tracing evaluation of dielectric-coated hollow waveguides
Opt. Eng., Vol. 41, 1471-1472, 2002
K. Iwai, Y. Abe, Y. Matsuura, and M. Miyagi
193. Optical properties of end-sealed hollow fibers
Appl. Opt., Vol. 41, 1251-1255, 2002
S. Mohri, T. Kasai, Y. Abe, Y. W. Shi, Y. Matsuura, and M. Miyagi
194. Metal-covered photonic bandgap multilayer for infrared hollow waveguide
Appl. Opt., Vol. 41, 7603-7606, 2002
T. Katagiri, Y. Matsuura, and M. Miyagi
195. Delivery of femtosecond pulses by hollow fibers
J. Appl. Phys., Vol. 91, 887-889, 2002
Y. Matsuura, M. Miyagi, K. Shihoyama, and M. Kawachi
196. Hollow fibers for delivery of harmonic pulses of Q-switched Nd:YAG lasers
Appl. Opt., Vol. 41, 442-445, 2002
Y. Matsuura, G. Takada, T. Yamamoto, Y. W. Shi, and M. Miyagi
197. Hollow infrared fibers fabricated by glass-drawing technique
Opt. Express, Vol. 10, 488-492, 2002
Y. Matsuura, R. Kasahara, T. Katagiri, and M. Miyagi

198. Improvement of transmission properties of visible pilot beam for hollow fibers designed for CO₂ laser delivery
レーザー研究, Vol. 30, 472-474, 2002
阿部由起雄, 岩井克全, 豊岡理人, 片桐崇史, 金森亮平, 石芸尉, 松浦祐司, 宮城光信, 大石純子, 岡上吉秀
199. Er:YAG レーザー伝送用の高強度ポリマー内装中空ファイバの製作
レーザー研究, Vol. 30, 255-258, 2002
岩井克全, 阿部由起雄, 石芸尉, 松浦祐司, 宮城光信, 大石純子, 岡上吉秀
200. Compact effector optics for processing in limited physical access situations
Appl. Opt., Vol. 42, 5101-5106, 2003
A. Kuhn, M. D. T. Fox, P. W. French, S. Hettrick, D. P. Hand, Y. W. Shi, Y. Matsuura, M. Miyagi, K. G. Watkins, C. L. M. Ireland, and J. D. C. Jones
201. Different influence of long and short mid-infrared laser pulses on eye tissue
Laser Physics, Vol. 13, 735-742, 2003
H. Jelinkova, J. Pasta, M. Nemeč, J. Sulc, M. Miyagi, Y.-W. Shi, Y. Matsuura, and M. Jelinek
202. Erbium:YAG laser lithotripsy by use of a flexible hollow waveguide with an end-scaling cap
Appl. Opt., Vol. 42, 2431-2435, 2003
K. Iwai, Y. W. Shi, K. Nito, Y. Matsuura, T. Kasai, M. Miyagi, S. Saito, Y. Arai, N. Ioritani, Y. Okagami, M. Nemeč, J. Sulc, and H. Jelinkova
203. Rugged distal tips for CO₂ laser medicine
Opt. Laser Technol., Vol. 35, 65-68, 2003
S. Ouyang, Y. W. Shi, Y. Matsuura, and M. Miyagi
204. Beam homogenizer for hollow-fiber delivery system of excimer laser light
Appl. Opt., Vol. 42, 3505-3508, 2003
Y. Matsuura, D. Akiyama, and M. Miyagi
205. Penetration of high-intensity Er:YAG laser light emitted by IR hollow optical fibers with sealing caps in water
Appl. Opt., Vol. 43, 2568-2571, 2004
K. Iwai, Y. W. Shi, M. Endo, K. Ito, Y. Matsuura, M. Miyagi, and H. Jelinkova
206. Photonic bandgap fiber with a silica core and multilayer dielectric cladding
Opt. Lett., Vol. 29, 557-559, 2004
T. Katagiri, Y. Matsuura, and M. Miyagi

207. X-ray opaque waveguide for dentistry
Photomedicine and Laser Surgery, Vol. 22, 221-225, 2004
T. Dostalova, H. Jelinkova, M. Nemeč, J. Sulc, M. Miyagi, Y. W. Shi, and Y. Matsuura

208. Surface modification of tooth root canal after application of an X-ray opaque waveguide
Appl. Phys. A, Vol. 79, 887-889, 2004
T. Dostalova, H. Jelinkova, J. Sulc, M. Nemeč, P. Koranda, M. Bartonova, P. Radina, M. Miyagi, Y. W. Shi, and Y. Matsuura

209. 赤外中空ファイバ用ボール型シーリングキャップの製作とその特性
レーザー研究, Vol. 32, 364-367, 2004
遠藤正志, 笠原亮介, 松浦祐司, 宮城光信

210. Laser radiation tooth bleaching
Laser Phys. Lett., Vol. 1, 617-620, 2004
H. Jelinkova, T. Dostalova, M. Nemeč, J. Sulc, P. Koranda, P. Housova, M. Miyagi, Y. W. Shi, and Y. Matsuura

211. Comparison of mid infrared lasers effect on ureter tissue
Laser Phys. Lett., Vol. 1, 143-146, 2004
H. Jelinkova, O. Kohler, M. Nemeč, P. Koranda, J. Sulc, V. Kubeček, P. Druk, M. Miyagi, Y. W. Shi, Y. Matsuura, M. Kokta, P. Hrabal, and M. Jelinek

212. Hollow optical fibers for ultraviolet and vacuum ultraviolet light
IEEE Journal of Selected Topics in Quantum Electronics, Vol. 10, 1430-1434, 2004
Y. Matsuura and M. Miyagi

213. Hollow waveguide delivery systems for laser technological application
Progress in Quantum Electron., Vol. 28, 145-164, 2004.
H. Jelinkova, M. Nemeč, J. Sulc, P. Cerny, M. Miyagi, Y. W. Shi, and Y. Matsuura

214. Diode laser-activated bleaching
Braz. Dent. J., Vol. 15, SI-3-SI-8, 2004.
T. Dostalova, H. Jelinkova, D. Housova, J. Sulc, M. Nemeč, M. Miyagi, A. Brugnera Jr., and F. Zanin

215. Characteristics of calculus fragmentation with Er:YAG laser light emitted by an infrared hollow optical fiber with various sealing caps
Appl. Opt., Vol. 44, 3266-3270, 2005.
K. Iwai, Y. W. Shi, Y. Matsuura, M. Miyagi, S. Saito, and Y. Arai
216. Raman probe using a single hollow waveguide
Opt. Lett., Vol. 30, 2942-2944, 2005
Y. Komachi, H. Sato, Y. Matsuura, M. Miyagi, and H. Tashiro
217. Soft X-ray hollow fiber optics with inner metal coating
Appl. Opt., Vol. 44, 6193-6196, 2005
Y. Matsuura, T. Oyama, and M. Miyagi
218. Use of hollow core fibers to deliver nanosecond Nd:YAG laser pulses to form sparks in gasses
Opt. Lett. Vol. 30, 2083-2085, 2005
A. Yalin, M. Defoort, S. Joshi, B. Willson, Y. Matsuura, and M. Miyagi
219. Self-cleaning effect of sealing caps for infrared hollow fiber delivering pulsed Er:YAG laser light
Opt. & Laser Technol., Vol. 38, 107-110, 2006
Y. W. Shi, K. Iwai, Y. Matsuura, M. Miyagi, and H. Jelinkova
220. Multiwavelength laser light transmission of hollow optical fiber from visible to mid-infrared
Opt. Lett. (in press)
Y. W. Shi, K. Ito, Y. Matsuura, and M. Miyagi
221. Bundled aluminum hollow-core fibers for delivery of ultraviolet laser beam
Opt. Eng. (in press)
O. Yilmaz, Y. Matsuura, and M. Miyagi
222. 中空光ファイバによる紫外光照射を用いた蛍光特性評価
電子情報通信学会論文誌 (印刷中)
村田浩介, 松浦祐司, 宮城光信

III. 国際会議発表論文 (査読つき)

1. Fabricating dielectric-coated metallic hollow waveguides for IR transmission : a novel technique
CLEO ' 83, May 1983, Baltimore, 210-211.
M. Miyagi, Y. Aizawa, A. Hongo, and S. Kawakami
2. Transmission properties of circular dielectric-coated metallic waveguides for Infrared transmission
SPIE Infrared Optical Materials and Fibers III, May 1984, Arlington, Vol. 484. 117-123.
M. Miyagi, K. Harada, Y. Aizawa, and S. Kawakami
3. Antenna coupled Y junctions in 3-dimensional, dielectric optical waveguide
IOOC ' 85, Oct. 1985, Venice, 401-404.
O. Hanaizumi, M. Miyagi, M. Minakata, and S. Kawakami
4. Fabrication of electrically deposited germanium-coated waveguides for infrared radiation
CLEO, June 1986, San Francisco, 378-379.
Y. Shimada, M. Miyagi, S. Nishida, and A. Hongo
5. Thin-film-coated waveguide CO₂ laser : proposal
CLEO, June 1986, San Francisco, 378-379.
M. Miyagi, Y. Wagatsuma, and S. Nishida
6. Consideration on realization of low-loss total reflection-type hollow-core fiber at mid-infrared
SPIE Infrared Optical Materials and Fibers V, August 1987, San Diego, Vol. 843, 76-79.
7. Germanium-coated nickel hollow waveguides for high-powered CO₂ laser light transmission
CLEO, April 1988, Anaheim, WL-2.
8. Dichroism and birefringence of anodized alumina film
1989 Annual Meeting, Optical Soc. Am., Oct. 1989, Orland, TUE2.
9. Hollow IR waveguides
SPIE Infrared Fiber Optics II, Jan. 1990, San Diego, Vol. 1228, 26-35
M. Miyagi, A. Hongo, and Y. Matsuura

10. ZnSe-coated Ag waveguide for CO₂ laser light transmission
SPIE Infrared Fiber Optics III, Nov. 1991, Boston, Vol. 1591, 109-115
Y. Matsuura and M. Miyagi
11. Non-toxic dielectric-coated metallic waveguides for medical lasers
IEEE/LEOS 92, Nov. 1992, Boston, Paper MED5.3
Y. Matsuura and M. Miyagi
12. Fabrication and transmission properties of ZnS-coated Ag waveguides for Er:YAG, CO, and CO₂ laser light
SPIE Biomedical Optics Europe '93, Sept, 1993, Budapest, Vol. 2084, 6-13
Y. Matsuura, T. Kamenno, and M. Miyagi
13. Hollow fiber beam delivery systems
XI International Symposium on Gas Flow and Chemical Lasers & High Power Laser Conference, Aug. 1996, Edinburgh
Y. Matsuura and M. Miyagi
14. Fabrication of robust hollow waveguide devices for Er:YAG laser light
SPIE Specialty Fiber Optics for Biomedical and Industrial Application, Feb. 1997, San Jose, Vol. 2977, 36-40
Y. Wang, H. Hiraga, Y. Matsuura, and M. Miyagi
15. Lensed taper coupler for hollow waveguides
SPIE Specialty Fiber Optics for Biomedical and Industrial Application, Feb. 1997, San Jose, Vol. 2977, 47-50
H. Hiraga, Y. Matsuura, Y. Wang, M. Miyagi, S. Abe, and S. Onodera
16. Hollow waveguides for medical infrared lasers
CLEO /Pacific Rim '97, July 1997, Chiba, Paper FL2
M. Miyagi and Y. Matsuura
17. Hydrocarbon-polymer coated hollow glass fiber for CO₂ laser
CLEO /Pacific Rim '97, July 1997, Chiba, Paper FR3
T. Shimomura, H. Uyama, Y. Matsuura, and M. Miyagi
18. Beam homogenizer for infrared hollow waveguides using silver-halide fibre tip
SPIE Biomedical Systems and Technologies II, Sept. 1997, San Remo, Vol. 3199, 70-74
Y. Matsuura, M. Miyagi, A. German, L. Nagli, and A. Katzir

19. Transmission characteristics of fluorocarbon polymer-coated silver hollow glass waveguide
SPIE Biomedical Systems and Technologies II, Sept. 1997, San Remo, Vol. 3199, 119-126
Y. Wang, Y. W. Shi, Y. Matsuura, and M. Miyagi
20. Fabrication of hollow fibers for CO₂ laser by using MOCVD method
SPIE Surgical-Assist Systems, Jan. 1998, San Jose, Vol. 3262, 119-124
Y. Matsuura, D. Miura, and M. Miyagi
21. High power hollow fibers
SPIE Conference on High-Power Laser Ablation, Apr. 1998, Santa Fe, Vol. 3343, 222-227
Y. Matsuura and M. Miyagi
22. New cyclic olefin polymer-coated silver hollow glass waveguides for the near-infrared to mid infrared
EUROPTO Conference on Delivery Systems and Materials for IR and UV Fibers and Waveguides, Sept. 1998, Stockholm, Vol. 3570, 4-10
Y. W. Shi, K. Hanamoto, Y. Wang, Y. Abe, Y. Matsuura, S. Sato, and M. Miyagi
23. Pulsed 3 μ m laser radiation transmission through hollow plastic and hollow glass waveguides
EUROPTO Conference on Delivery Systems and Materials for IR and UV Fibers and Waveguides, Sept. 1998, Stockholm, Vol. 3570, 12-19
A. Serafetinides, K. R. Rickwood, E. T. Fabrikesi, G. Chourdakis, N. Anastassopoulou, Y. Matsuura, Y. W. Shi, M. Miyagi, and N. Croitoru
24. Lensed-taper launching coupler for high energy Er:YAG laser
EUROPTO Conference on Delivery Systems and Materials for IR and UV Fibers and Waveguides, Sept. 1998, Stockholm, Vol. 3570, 70-76
Y. Matsuura, H. Hiraga, and M. Miyagi
25. Dental Er:YAG laser system
CLEO/Europe '98, Sept. 1998, Glasgow, Paper CTul101
H. Jelinkova, T. Dostalova, M. Miyagi, Y. Wang, Y. W. Shi, K. Hamal, O. Krejsa, J. Kubelka, and S. Prochazka

26. Hollow-waveguide-based transmission of Q-switched Nd:YAG laser beam for biological tissue ablation
SPIE Conference on Specialty Fiber Optics for Medical Applications, Jan. 1999, San Jose, Vol. 3596, 50-54
S. Sato, H. Ashida, Y. W. Shi, Y. Matsuura, and M. Miyagi
27. Hollow fiber delivery of ArF and KrF excimer laser light
SPIE Conference on Specialty Fiber Optics for Medical Applications, Jan. 1999, San Jose, Vol. 3596, 2-6
Y. Matsuura and M. Miyagi
28. Smart polymer-coated hollow fibers
SPIE Conference on Specialty Fiber Optics for Medical Applications, Jan. 1999, San Jose, Vol. 3596, 23-31
Y. W. Shi, Y. Matsuura, and M. Miyagi
29. Delivery of high-powered picosecond pulses in near-IR region by special silver hollow glass waveguides
SPIE Conference on Specialty Fiber Optics for Medical Applications, Jan. 1999, San Jose, Vol. 3596, 32-42
H. Jelinkova, M. Miyagi, J. Sulc, P. Cerny, Y. Wang, and Y. W. Shi
30. Hollow fibers for high-power lasers
SPIE Conference on Optical Pulse and Beam Propagation, Jan. 1999, San Jose, Vol. 3609, 251-256
Y. Matsuura and M. Miyagi
31. Contact and non-contact laser preparation of hard dental tissues by Er:YAG laser radiation delivered by hollow glass waveguide or articulated arm
SPIE Conference on Lasers in Dentistry V, Jan. 1999, San Jose, Vol. 3593, 211-217
T. Dostalova, H. Jelinkova, M. Miyagi, M. Nemecek, K. Hamal, and O. Krejsa
32. Er:YAG and alexandrite laser radiation propagation in the root canal and its effect on bacteria
SPIE Conference on Lasers in Dentistry V, Jan. 1999, San Jose, Vol. 3593, 15-21
H. Jelinkova, T. Dostalova, J. Duskova, M. Miyagi, S. Shoji, J. Sulc, and M. Nemecek
33. Recent progress of polymer-coated hollow fibers
CLEO/Pacific Rim '99, Sept. 1999, Seoul, Paper FV1
Y. Matsuura, Y. W. Shi, and M. Miyagi

34. Small-bore, polymer-coated hollow fibers for medical infrared lasers
CLEO/Pacific Rim '99, Sept. 1999, Seoul, Paper FV5
Y. Abe, Y. Matsuura, and M. Miyagi
35. Nd:YAG picosecond pulses delivery by cyclic olefin polymer-coated silver hollow glass waveguides
CLEO/Pacific Rim '99, Sept. 1999, Seoul, Paper P2.97
H. Jelinkova, J. Sulc, M. Miyagi, Y. Matsuura, and Y. W. Shi
36. Delivery of high-energy, infrared-laser pulses by polymer-coated hollow fibers
SPIE Conference on Infrared Optical Fibers and Their Applications, Sept. 1999, Boston, Vol. 3849, 138-142
Y. Matsuura, K. Hanamoto, Y. W. Shi, Y. Abe, and M. Miyagi
37. Hollow-core, lensed-taper launching coupler for Er:YAG laser light
SPIE Conference on Infrared Optical Fibers and Their Applications, Sept. 1999, Boston, Vol. 3849, 149-153
Y. Matsuura, M. Yaegashi, and M. Miyagi
38. Compact effector optics for processing in limited physical access situations
ICALEO '99, Nov. 1999, San Diego
A. Kuhn, S. Hettrick, D. P. Hand, Y. W. Shi, Y. Matsuura, M. Miyagi, C. L. M. Ireland, and J. D. C. Jones
39. Laser radiation propagation in the hard and soft dental tissues
SPIE Conference on Lasers in Dentistry VI, Jan. 2000, San Jose, Vol. 3910
T. Dostalova, H. Jelinkova, J. Sulc, P. Cerny, M. Nemecek, M. Cech, J. Duskova, M. Kr'atk, and M. Miyagi
40. Polymer-coated hollow fibers for medical infrared lasers
SPIE Conference on Biomedical Diagnostic, Guidance, and Surgical-Assist Systems II, Jan. 2000, San Jose, Vol. 3911, 268-275
Y. W. Shi, Y. Abe, Y. Matsuura, and M. Miyagi
41. Nd:YAG picosecond pulses delivery by cyclic olefin polymer-coated silver hollow glass waveguides
SPIE Conference on Biomedical Diagnostic, Guidance, and Surgical-Assist Systems II, Jan. 2000, San Jose, Vol. 3911, 276-283
H. Jelinkova, M. Miyagi, P. Cerny, J. Sulc, Y. Matsuura, and Y. W. Shi

42. Aluminum-hollow fiber delivery system for excimer lasers
SPIE Conference on Biomedical Diagnostic, Guidance, and Surgical-Assist Systems II, Jan. 2000, San Jose, Vol. 3911, 292-297
Y. Matsuura, T. Yamamoto, and M. Miyagi
43. Vacuum-cored hollow waveguide for high-nergy, high-intensity laser transmission and its application to biological tissue ablation
SPIE Conference on Biomedical Diagnostic, Guidance, and Surgical-Assist Systems II, Jan. 2000, San Jose, Vol. 3911, 298-302
S. Sato, T. Arai, Y. W. Shi, Y. Matsuura, M. Miyagi, and H. Ashida
44. Hollow fibers for Nd:YAG and excimer lasers
SPIE Conference on Optical Pulse and Beam Propagation II, Jan. 2000, San Jose, Vol. 3927, 353-358
Y. Matsuura, T. Yamamoto, G. Takada, and M. Miyagi
45. Hollow fibers for delivery of high-power lasers
SPIE International Symposium on High-Power Laser Ablation 2000, Apr. 2000, Santa Fe
Y. Matsuura and M. Miyagi
46. Development of hollow fiber transmitting infrared light
7th Congress of the International Society for Lasers in Dentistry, July 2000, Brussels
J. Oishi, Y. Okagami, M. Odaka, M. Kawashima, Y. W. Shi, Y. Matsuura, and M. Miyagi
47. Special hollow-glass waveguides for medical applications
2000 CLEO Europe, Sept. 2000, Nice, Paper CTuK32
H. Jelinkova, J. Sulc, P. Cerny, M. Nemecek, M. Cech, M. Miyagi, Y. W. Shi, and Y. Matsuura
48. Tuned alexandrite laser for dentistry
Photonics WEST, 2000, San Diego, Paper 3929-47
J. Sulc, H. Jelinkova, T. Dostalova, and M. Miyagi
49. Glass waveguide polarizer using artificial birefringent cladding layer
Lasers and Electro-Optics Society Italian Chapter, June 2000, Pavia, Italy, 40-45
K. Baba, T. Iden, and M. Miyagi

50. Patterned submicrometer-thick optical polarizing films using stretched silver island multilayers
Micro-and Nano-Photonic Materials and Devices, Jan. 2000, San Jose, Vol. 3937, 156-163
K. Baba, Y. Sato, T. Yoshitaka, and M. Miyagi
51. Sealed hollow fibers for medical Er:YAG lasers
SPIE Conference on Infrared Optical Fibers and Their Applications II, Nov. 2000, Boston, Vol. 4204, 238-242
Y. Matsuura, S. Mohri, Y. W. Shi, and M. Miyagi
52. Infrared-laser delivery system using hollow fibers
SPIE Conference on Infrared Optical Fibers and Their Applications II, Nov. 2000, Boston, Vol. 4204, 224-229
Y. Matsuura, Y. Abe, S. Mohri, Y. W. Shi, and M. Miyagi
53. Hollow fiber delivery of Q-switched, multiple-order Nd:YAG laser light
EUROPTO Biomonitoring and Endoscopy Technologies, July 2000, Amsterdam, Vol. 4158, 81-85
Y. Matsuura, T. Yamamoto, G. Takada, Y. W. Shi, and M. Miyagi
54. Ablation effect comparison of solid-state mid-infrared lasers applied for TMLR
SPIE Conference on Diagnostics and Therapeutic Cardiovascular Interventions XI, Jan. 2001, San Jose
H. Jelinkova, M. Nemecek, V. Kubecek, J. Sulc, J. Kvasnicka, M. R. Kokta, M. Miyagi, Y. W. Shi, and Y. Matsuura
55. Pilot beams for polymer-coated silver hollow glass fibers
SPIE Conference on Optical Fibers and Sensors for Medical Applications, Jan. 2001, San Jose, Vol. 4253, 50-57
Y. W. Shi, Y. Matsuura, and M. Miyagi
56. Delivery of powerful radiation in visible spectral region by special waveguides
SPIE Conference on Optical Fibers and Sensors for Medical Applications, Jan. 2001, San Jose, Vol. 4253, 58-67
H. Jelinkova, J. Sulc, P. Cerny, Y. Matsuura, M. Miyagi, and Y. W. Shi
57. Myocardium tissue ablation with hollow-waveguide-delivered, near-infrared, nanosecond laser pulses
SPIE Conference on Optical Fibers and Sensors for Medical Applications, Jan. 2001, San Jose, Vol. 4253, 155-160
S. Sato, T. Arai, Y. W. Shi, Y. Matsuura, M. Miyagi, and H. Ashida

58. Sealing technique for infrared hollow fibers
CLEO /Pacific Rim '97, July 2001, Chiba, Paper MJ1-2
Y. Matsuura, N. Kobayashi, S. Mohri, Y. Abe, Y. W. Shi, T. Kasai, and M. Miyagi
59. Er:YAG laser delivery system for dental application using small-bore hollow fibers
CLEO /Pacific Rim '97, July 2001, Chiba, Paper MJ2-4
Y. Abe, K. Iwai, S. Mohri, Y. W. Shi, Y. Matsuura, and M. Miyagi
60. Cylindrical waveguide formed of multilayered film having 1D-photonic bandgap structure
SPIE Conference on Materials and Devices for Photonic Circuits II, Aug. 2001, San Diego, Vol. 4453, 12-17
Y. Matsuura, T. Katagiri, and M. Miyagi
61. YAG laser in ophthalmology
Laser Florence 2001: A Window on the Laser Medicine World, Nov. 2001, Florence, Vol. 4903, 38-47
H. Jelinkova, J. Pasta, J. Sulc, M. Nemeč, M. Miyagi, Y. W. Shi, and Y. Matsuura
62. Endodontic treatment with application of Er:YAG laser radiation disinfection
Laser 2001 -world of Photonics, June 2001, Munchen, Paper 38
T. Dostalova, H. Jelinkova, D. Housova, J. Sulc, M. Nemeč, J. Duskova, M. Kratky, and M. Miyagi
63. Nd:YAP 1.34 mm/1.08 mm laser passively mode-locked/Q-switched by V³⁺:YAG/BDN II saturable absorbers with efficient COP/Ag hollow glass waveguide radiation delivery
CLEO/Europe-EQEC Focus Meetings 2001, June 2001, Munich, Paper C-PSL 165
H. Jelinkova, P. Cerny, J. Sulc, J. K. Jaczynski, K. Kopczynski, W. Zendzian, Z. Mierczyk, and M. Miyagi
64. Mid-infrared lasers for transmyocardial laser revascularization
Clinical Lasers and Diagnostics, July 2001, Amsterdam, Vol. 4156, 175-180
H. Jelinkova, M. Nemeč, J. Sulc, D. Dvoracek, V. Kubecek, M. Vrbova, P. Cerny, J. Kvasnicka, M. R. Kokta, and M. Miyagi

65. Output beam quality investigation of medical infrared and mid-infrared waveguides and fibers
Biomonitoring and Endoscopy Technologies, 2001, Vol. 4158, 105-112
A. A. Serafetinides, G. Chourdakis, N. Anastasopoulou, A. Inberg, N. Croitoru, and M. Miyagi
66. Polymer-coated silver hollow glass waveguides for delivery of first and second harmonic Nd:YAG laser picosecond pulses
Biomonitoring and Endoscopy Technologies, 2001, Vol. 4158, 86-96
H. Jelinkova, P. Cerny, J. Sulc, V. Kubecek, M. Miyagi, Y. W. Shi, and Y. Matsuura
67. Advanced waveguides for laser medicine systems
WORKSHOP 2001 Part A, Feb. 2001, Prague, Vol. 5, 384-385
H. Jelinkova, J. Sulc, P. Cerny, M. Nemecek, M. Cech, V. Kubecek, A. Novotny, M. Miyagi, Y. W. Shi, Y. Matsuura, T. Dostalova, J. Pasta, and J. Kvasnicka
68. Flexible beam guiding in a microsurgical UV laser scalpel
SPIE Conference on Optical Fibers and Sensors for Medical Applications II, Jan. 2002, San Jose, Vol. 4616, 199-206
G. Hillrichs, H. Dietz, S. Schastak, P. Wiedemann, Y. Matsuura, M. Miyagi, and K. Klein
69. Hollow bent output devices in CO₂ laser light delivery system
SPIE Conference on Optical Fibers and Sensors for Medical Applications II, Jan. 2002, San Jose, Vol. 4616, 152-160
K. Iwai, Y. W. Shi, Y. Matsuura, M. Miyagi, J. Oishi, and Y. Okagami
70. Femtosecond-pulse delivery by hollow fibers
SPIE Conference on Optical Fibers and Sensors for Medical Applications II, Jan. 2002, San Jose, Vol. 4616, 117-120
Y. Matsuura and M. Miyagi
71. Transmission characteristics of sealed hollow waveguides for Er:YAG laser radiation and their application in the ophthalmology
SPIE Conference on Optical Fibers and Sensors for Medical Applications II, Jan. 2002, San Jose, Vol. 4616, 135-142
H. Jelinkova, M. Nemecek, J. Sulc, J. Pasta, K. Iwai, Y. Abe, Y. W. Shi, Y. Matsuura, and M. Miyagi

72. Hollow-waveguide-based laser-to-ultrasound transducer for drug delivery application
SPIE Conference on Optical Fibers and Sensors for Medical Applications II, Jan. 2002, San Jose, Vol. 4616, 207-211
S. Sato, M. Ogura, M. Obara, Y. W. Shi, Y. Matsuura, M. Miyagi, and H. Ashida
73. Waveguide polarizers for integrated optics using artificial birefringent media: design and theoretical characteristics
SPIE Conference on Integrated Optics: Devices, Materials, and Technologies VI, Jan. 2002, San Jose, Vol. 4640, 281-288
K. Baba, T. Iden, and M. Miyagi
74. Different influence of long and short mid-infrared laser pulses on eye tissue
11th International Laser Physics Workshop, July 2002, Bratislava, Slovakia
H. Jelinkova, J. Pasta, M. Nemeč, J. Sulc, M. Miyagi, Y. W. Shi, Y. Matsuura, and M. Jelinek
75. Q-switched Er:YAG radiation transmission through medical COP-coated silver hollow glass waveguide
Conference on Lasers, Applications, and Technologies, June 2002, Moscow, Paper LME79
N. Anastasopoulou, B. Klinkeberg, D. Papadopoulos, I. Papagiakoumou, A. A. Serafetinides, Y. W. Shi, Y. Matsuura, and M. Miyagi
76. Changes in eye tissues caused by Er:YAG laser radiation delivered by sealed hollow waveguide
Symposium on Cataract, IOL, and Refractive Surgery, June 2002, Philadelphia
J. Pasta, H. Jelinkova, M. Nemeč, and M. Miyagi
77. Rugged hollow fiber for the infrared and its use in laser lithotripsy
Photonics ASIA 2002, Oct. 2002, Shanghai, Paper 4916-17
K. Iwai, Y. W. Shi, Y. Matsuura, and M. Miyagi
78. Fabrication of a rugged, polymer-coated hollow fiber for the infrared
BOPM 2002, Oct. 2002, Sapporo, Paper MC6P1
K. Iwai, Y. Abe, Y. W. Shi, Y. Matsuura, M. Miyagi, J. Ohishi, and Y. Okagami
79. X-ray opaque waveguide for dentistry
Laser Florence 2002: A Window on the Laser Medicine World, Oct. 2002, Florence
T. Dostalova, H. Jelinkova, J. Sulc, M. Nemeč, and M. Miyagi

80. High power laser radiation delivery
The XIV international Symposium on Gas Flow & Chemical Lasers and High Power Laser Conference, Aug. 2002, Wroclaw, Poland, Paper P2.20
H. Jelinkova, M. Nemeč, J. Sulc, P. Cerny, M. Miyagi, Y. W. Shi, and Y. Matsuura
81. Calculi fragmentation of Er:YAG laser light through a sealed flexile hollow fiber delivery system
SPIE Conference on Optical Fibers and Sensors for Medical Applications III, Jan. 2003, San Jose, Vol. 4957, 62-69
K. Iwai, Y. W. Shi, K. Nito, Y. Matsuura, T. Kasai, M. Miyagi, S. Saito, Y. Arai, N. Ioritani, Y. Okagami, M. Nemeč, J. Sulc, and H. Jelinkova
82. Infrared hollow-glass fiber produced by fiber drawing technique
SPIE Conference on Optical Fibers and Sensors for Medical Applications III, Jan. 2003, San Jose, Vol. 4957, 79-83
Y. Matsuura, R. Kasahara, T. Katagiri, and M. Miyagi
83. Hollow waveguide delivery of high-peak-power red light for photodynamic therapy
SPIE Conference on Optical Fibers and Sensors for Medical Applications III, Jan. 2003, San Jose, Vol. 4957
S. Sato, S. Kawauchi, Y. W. Shi, Y. Matsuura, M. Miyagi, and H. Ashida
84. Hollow waveguides delivery system for the ophthalmology treatments
SPIE Conference on Optical Fibers and Sensors for Medical Applications III, Jan. 2003, San Jose, Vol. 4957, 170-177
H. Jelinkova, M. Nemeč, J. Sulc, M. Miyagi, K. Iwai, Y. W. Shi, Y. Matsuura, and J. Pasta
85. Delivery of high-energy radiation in mid-infrared spectral region by hollow waveguides
SPIE Conference on Optical Fibers and Sensors for Medical Applications III, Jan. 2003, San Jose, Vol. 4957, 178-182
M. Nemeč, H. Jelinkova, J. Sulc, M. Miyagi, K. Iwai, Y. W. Shi, and Y. Matsuura
86. Optical properties and surface structure comparison of tooth whitening using four laser system and chemical action agents
SPIE Conference on Lasers in Dentistry IX, Jan. 2003, San Jose, Vol. 4950, 37-45
T. Dostalova, H. Jelinkova, P. Koranda, J. Sulc, M. Nemeč, D. Housova, and M. Miyagi

87. Status and improvements of the UV laser scalpel
SPIE Conference on Optical Fibers and Sensors for Medical Applications III,
Jan. 2003, San Jose, Vol. 4957, 92-96
M. Kohler, H. Dietz, Y. Matsuura, M. Miyagi, K. Klein, and G. Hillrichs
88. Delivery system with hollow waveguide for ophthalmology treatment
WORKSHOP 2003 at Czech Technical University, Feb. 2003, Prague, Vol. 7,
488-489
H. Jelinkova, M. Nemeč, J. Sulc, M. Cech, M. Miyagi, K. Iwai, Y. W. Shi, Y.
Matsuura, and J. Pasta
89. High energy radiation delivery by hollow waveguides in mid-infrared spectral
region
WORKSHOP 2003 at Czech Technical University, Feb. 2003, Prague, Vol. 7,
166-167
M. Nemeč, H. Jelinkova, J. Sulc, P. Cerny, M. Miyagi, K. Iwai, Y. Abe, Y. W.
Shi, and Y. Matsuura
90. Silica-core photonic bandgap fiber having multilayered claddings
International Mini-Conference on Information Electronics System, Nov. 2003,
Sendai
T. Katagiri, Y. Matsuura, and M. Miyagi
91. Transmission properties of hollow glass fibers for the infrared fabricated by
glass-drawing technique
SPIE Conference on Optical Fibers and Sensors for Medical Applications IV,
Jan. 2004, San Jose, Vol 5317, 81-85
R. Kasahara, T. Katagiri, Y. Matsuura, and M. Miyagi
92. Sealed hollow waveguide for catheter-based pulsed photodynamic therapy
SPIE Conference on Optical Fibers and Sensors for Medical Applications IV,
Jan. 2004, San Jose, Vol. 5317, 101-104
S. Sato, S. Kawauchi, Y. W. Shi, Y. Matsuura, and M. Miyagi
93. Dynamic absorption coefficient of water for high-density Er:YAG laser
radiation
SPIE Conference on Optical Fibers and Sensors for Medical Applications IV,
Jan. 2004, San Jose, Vol. 5317, 172-179
K. Iwai, M. Endo, K. Ito, Y. W. Shi, Y. Matsuura, M. Miyagi, and H. Jelinkova

94. Hollow waveguide for giant Er:YAG laser pulses transfer
SPIE Conference on Optical Fibers and Sensors for Medical Applications IV,
Jan. 2004, San Jose, Vol. 5317, 214-219
M. Nemeč, H. Jelinková, P. Koranda, M. Cech, J. Sulc, M. Miyagi, Y. W. Shi,
and Y. Matsuura
95. Root canal surface after application of x-ray opaque waveguide
SPIE Conference on Lasers in Dentistry X, Jan. 2004, San Jose, Vol. 5313, 48-53
T. Dostalová, H. Jelinková, J. Sulc, M. Nemeč, P. Radina, M. Miyagi, Y. W. Shi,
and Y. Matsuura
96. Waveguide optical polarization splitter using microprism consisting of
dielectric multilayer
SPIE Conference on Physics and Simulation of Optoelectronic Devices XII,
Jan. 2004, San Jose, Vol. 5349, 122-131
K. Baba, Y. Sone, and M. Miyagi
97. Fabrication of silica-core photonic bandgap fiber with multilayer cladding
Optical Fiber Communication Conference, Feb. 2004, Los Angeles, Paper WI1
T. Katagiri, Y. Matsuura, and M. Miyagi
98. Delivery of high peak power light through hollow waveguide fibres for particle
image velocimetry
12th International Symposium on Applications of Laser Techniques to Fluid
Mechanics, July 2004, Lisbon
J. Parry, T. J. Stephens, J. D. Shephard, Y. Matsuura, Y. W. Shi, M. Haste, D. P.
Towers, M. Miyagi, J. D. C. Jones, and D. P. Hand
99. Metal-coated capillary optics for soft x-ray
SPIE Conference on Optical Fibers and Sensors for Medical Applications V,
Jan. 2005, San Jose, Vol. 5691, 9-13
Y. Matsuura, T. Oyama, and M. Miyagi
100. Fragmentation characteristics of various calculi evaluated by using hollow
fibers for Er:YAG laser light
SPIE Conference on Optical Fibers and Sensors for Medical Applications V,
Jan. 2005, San Jose, Vol. 5691, 14-22
K. Iwai, Y. W. Shi, Y. Matsuura, M. Miyagi, S. Saito, and Y. Arai

101. Application of hollow glass waveguides in urological treatment
SPIE Conference on Optical Fibers and Sensors for Medical Applications V,
Jan. 2005, San Jose, Vol. 5691, 183-191
M. Nemeč, P. Koranda, H. Jelinkova, M. Cech, O. Kohler, P. Drlik, M. Miyagi,
Y. W. Shi, and Y. Matsuura
102. Compact hollow glass waveguide system for Er:YAG laser ablation
SPIE Conference on Optical Fibers and Sensors for Medical Applications V,
Jan. 2005, San Jose, Vo. 5691, 192-199
H. Jelinkova, M. Nemeč, P. Koranda, M. Miyagi, Y. W. Shi, and Y. Matsuura
103. Er:YAG laser ablation: 5-11 years prospective study
SPIE Conference on Lasers in Dentistry XI, Jan. 2005, San Jose, Paper 5687-09
T. Dostalova, H. Jelinkova, M. Miyagi, J. Sulc, and M. Nemeč
104. Theoretical characteristics of waveguide optical polarization splitters using
dielectric periodic multilayers
SPIE Conference on Physics and Simulation of Optoelectronic Devices XIII,
Jan. 2005, San Jose, Paper 5722-67
K. Baba, Y. Sone, and M. Miyagi
105. Delivery of 10-MW Nd:YAG laser pulses by bundled hollow fibers
IQEC and CLEO-PR2005, July 2005, Tokyo, Paper CWM1-2
O. Yilmaz, Y. Matsuura, and M. Miyagi
106. Laser ignition of natural gas engines using fiber delivery
ASME 2005 Fall Technical Conference (to be presented)
A. Yalin, M. Defoort, S. Joshi, B. Willson, Y. Matsuura, and M. Miyagi
107. Bundled hollow-optical fiber for delivery of 30-MW peak power Nd:YAG laser
pulses
BiOS 2006 (to be presented)
Y. Matsuura, O. Yilmaz, and M. Miyagi
108. Uniform polymer-film coating in hollow optical fiber by circulatory coating
method
BiOS 2006 (to be presented)
K. Iwai, M. Miyagi, Y. W. Shi, and Y. Matsuura

109. Development of optical biopsy system for small experimental animals
BiOS 2006 (to be presented)
H. Sato, Y. Hattori, Y. Oshima, Y. Komachi, T. Katagiri, T. Asakura, T. Shimosegawa, Y. Matsuura, M. Miyagi, G. Kanai, N. Ura, K. Matsutani, and H. Tashiro
110. Er: YAG laser radiation for soft and hard urlogical tissue treatment
BiOS 2006 (to be presented)
P. Koranda, H. Jelinkova, M. Nemeč, O. Kohler, P. Drlik, J. Pokorny, M. Miyagi, K. Iwai, Y. M. Shi, and Y. Matsuura
111. Medical applicattion of 3 μm delivery waveguide system
BiOS 2006 (to be presented)
M. Nemeč, H. Jelinkova, P. Koranda, M. Miyagi, K. Iwai, Y. W. Shi, and Y. Matsuura
112. Generation of powerful 3 microns radiation and its delivery
2006 Photomics Europe (to be presented)
M. Cech, M. Nemeč, P. Koranda, H. Jelinkova, and M. Miyagi

IV. 特許 (成立済み)

(日本)

1. 低損失中空伝送路
日本特許 No. 1422179 (1988年 1月29日)
西田茂穂, 宮城光信, 御子柴晃一
2. 偏光性光導波素子
日本特許 No. 2569312 (1996年10月24日)
宮城光信, 西田茂穂, 吉田 進, 平谷雄二
3. 偏光性導波素子
日本特許 No. 2569313 (1996年10月24日)
宮城光信, 西田茂穂, 吉田 進, 平谷雄二
4. アルミニウム中空導波路及びその製造方法
日本特許 No. 3341007 (2002年 8月23日)
松浦祐司, 宮城光信

5. 中空導波路とその製造方法
日本特許 No. 3395120 (2003年 2月 7日)
宮城光信, 加藤祐次
6. 中空導波路およびその製造方法並びに光伝送方法
日本特許 No. 3488770 (2003年10月31日)
宮城光信, 本郷晃史
7. 医療用レーザープローブ
日本特許 No. 3535685 (2004年 3月19日)
宮城光信, 本郷晃史, 岡上吉秀
8. レーザエネルギー伝送用中空導波路およびその製造方法
日本特許 No. 3566232 (2004年 6月18日)
宮城光信, 本郷晃史
9. 医療用レーザー伝送装置
日本特許 No. 3718127 (2005年 9月 9日)
宮城光信, 加藤祐次, 本郷晃史, 岡上吉秀

(米国)

1. Low loss leakage transmission line
US patent No. 4,441,091, Apr. 3, 1984
S. Nishida, M. Miyagi, and K. Mikoshiba
2. Thin-film coated waveguide laser
US patent No. 4,875,218, Oct. 17, 1989
A. Hongo, T. Shiota, S. Nishida, M. Miyagi, and Y. Wagatsuma
3. Thin-film coated waveguide laser
US patent No. 4,9724,21, Nov. 20, 1990
A. Hongo, T. Shiota, S. Nishida, M. Miyagi, and Y. Wagatsuma
4. Optical hollow waveguide, method for fabricating the same, and laser transmission apparatus using the same
US patent No. 5,729,646, Mar. 17, 1998
M. Miyagi, Y. Kato, A. Hongo, and Y. Okagami
5. Hollow waveguide and method of making same
US patent No. 5,995,696, Nov. 30, 1999
M. Miyagi and A. Hongo

6. Detachable laser probe having reduced attenuation
US patent No. 6,104,853, Aug. 15, 2000
M. Miyagi, A. Hongo, and Y. Okagami
7. Hollow waveguide for ultraviolet light and making the same
US patent No. 6,141,476, Oct. 31, 2000
Y. Matsuura and M. Miyagi

(英国)

1. Hollow waveguide with dielectric layer
UK patent No. GB 2321972 B, June 20, 2001
M. Miyagi and A. Hongo
2. Hollow waveguide with dielectric layer
UK patent No. GB 2361776, February 13, 2002
M. Miyagi and A. Hongo