Contents and Dates of Issue, of the Science Reports of the Tohoku University, Second Series, Geology.

Vols. 1 (1912) to 33 (1962), and Special Volume, Nos. 1 (1936) to 5 (1962).

Science Reports (Geology)

- Vol. 1 No. 1, November 5, 1912.
 - H. Yabe, Ueber eininge Gesteinbildende Kalkalgen von Japan und China.
- Vol. 1, No. 2, March 31, 1913.
 - H. Yabe and S. Yehara, The Cretaceous Deposits of Miyako.
- Vol. 1, No. 3, August 8, 1913.
 - S. Kozu, Petrological Notes on the Igneous Rocks of the Oki Islands.
- Vol. 1, No. 4, December 20, 1913.
 - H. Yabe, Mesozoische Pflanzen von Omoto.
 - M. Oyu, On a Staurolite-garnet-mica-schist from Liau-tung.
- Vol. 1, No. 5, March 26, 1914.
 - H. Yabe, Ein neuer Ammonitenfund aus der Trigonia-sandstein-Gruppe.
 - S. Kozu, Riebeckite-bearing Soretite-trachyandesite and its allied Glassy Variety (Monchiquite).
 - M. Oyu, On Some Occurrence of Andalustie in the Environs of Hitachi-mines.
- Vol. 2, No. 1, November 25, 1914.
 - S. Kozu, Kentallenite with unusual Mica from Torigoe, Japan.
- S. Kozu, Optical, Chemical and Thermal Properties of Anorthite from three localities in Japan Vol. 2, No. 2, January 27, 1915.
 - S. Yehara, The Cretaceous Trigoniae from Miyako and Hokkaido.
- Vol. 3, No. 1, September 20, 1915.
 - H. Matsumoto, On Some Fossil Mammals from Sze-chuan, China.
 - H. Matsumoto, On Some Fossil Mammals from Ho-nan, China.
 - H. Matsumoto, On Some Fossil Mammals from Tsukinoki, Ugo.
- Vol. 3, No. 2, June 18, 1918.
 - H. Matsumoto, On a New Archetypal Fossil Elephant from Mt. Tomuro, Kaga.
 - H. Matsumoto, On a New Fossil Trionyx from Hokkaido.
 - H. Matsumoto, A Contribution to the Morphology, Paleobiology and Systematics of Desmostylus.
 - H. Matsumoto, On a New Archetypal Fossil Cervid from the Province of Mino.
 - H. Matsumoto, On Some Fossil Bisontines of Eastern Asia.
- Vol. 4, No. 1, September 3, 1915.
 - I. Hayasaka, Tertiary Forest-floor with Erect Stumps lately exposed in Sendai.
 - Sh. Yehara, A Huge Fossil Tree Stump, lately secured to the Geological Institute, Tohoku Imperial University.
 - K. Koiwai, Notes on a Plant Bed exposed at Sanjunin-machi in Sendai.
 - B. Suginome, Geological Relation between the Mitaki Andesite and the Sedimentaries in Association with It.
 - H. Yabe, The Ichinokawa Conglomerate and its Geological Meaning: A Contribution to the Geotectonics of Southwestern Japan.
 - H. Yabe, Note on Some Cretaceous Fossils from Anaga on the Island of Awaji and Toyajo in the Province of Kii.
- Vol. 4, No. 2, May 15, 1917.
 - I. Hayasaka, On a New Hydrozoan Fossil from the Torinosu Limestone of Japan.
 - H. Yabe, Geological and Geographical Distribution of Gigantopteris.
 - H. Yabe, Problems concerning the Geotectonics of the Japanese Islands: Critical Review of Various Opinions expressed by Previous Authors on the Geotectonics.
- Vol. 4, No. 3, July 29, 1918.
 - H. Yabe, Notes on *Operculina*-Rocks from Japan, with Remarks on "Nummulites" cumingi Carpenter.

- Vol. 5, No. 1, September 13, 1917.
 - I. Hayasaka, Amblysiphonella from Japan and China.
 - H. Yabe, Notes on a Carpenteria-Limestone from B. N. Borneo.
- Vol. 5, No. 2, August 1, 1919.
 - H. Yabe, Notes on a Lepidocyclina-Limestone from Cebu.
- Vol. 5, No. 3, March 4, 1921.
 - H. Yabe and S. Shimizu, Notes on Some Cretaceous Ammonites from Japan and California.
 - Y. Ishiwara, On Some Fossil Shark-Teeth from the Neogene of Japan.
 - H. Matsumoto, Descriptions of Some New Fossil Mammals from Kani District, Prov. of Mino, with Revisions of Some Asiatic Fossil Rhinocerotids.
 - H. Yabe and S. Endo, Discovery of Stems of a Calamites from the Paleozoic of Japan.
- Vol. 5, No. 4, June 28, 1921.
 - H. Yabe, Notes on Some Eocene Foraminifera.
- Vol. 6, No. 1, March 28, 1922.
 - I. Hayasaka, Palaeozoic Brachiopoda from Japan, Korea and China. Part 1.
 - I. Hayasaka, Palaeozoic Brachiopoda from Japan, Korea and China. Part 11.
- Vol. 6, No. 2, December 18, 1922.
 - I. Hayasaka, On Some Tertiary Brachiopods from Japan.
- Vol. 7, No. 1, August 28, 1922.
 - H. Yabe, Notes on Some Mesozoic Plants from Japan, Korea and China in the Collection of the Institute of Geology and Paleontology, Tohoku Imperial University.
- Vol. 7, No. 2, February 20, 1925.
 - H. Yabe and S. Hanzawa, A Geological Problem Concerning the Raised Coral-Reefs of the Riukiu Islands and Taiwan: a Consideration based on the Fossil Foraminifera Faunas Contained in the Raised Coral-Reef Formation and the Youngest Deposits Underlying it.
- Vol. 7, No. 3, July 30, 1925.
 - S. Endo, Nilssonia-Bed of Hokkaido and Its Flora.
 - H. Yabe and S. Hanzawa, Nummulitic Rocks of the Islands of Amakusa (Kyushu, Japan).
- Vol. 7, No. 4, December 20, 1925.
 - H. Yabe and S. Nomura, Notes on the Recent and Tertiary Species of Thyasira from Japan.
 - H. Yabe and S. Hanzawa, Notes on Some Tertiary Foraminiferous Rocks from the Philippines.
 - H. Yabe and T. Nagao, New or Little-Known Cretaceous Fossils from North Saghalin (Lamellibranchiata and Gastropoda).
 - H. Yabe and S. Shimizu, Japanese Cretaceous Ammonites Belonging to Prionotropidae.
- Vol. 8, No. 1, November 18, 1924.
 - I. Hayasaka, On the Fauna of the Anthracolithic Limestone of Omi-mura in the Western Part of Echigo.
- Vol. 8, No. 2, August 25, 1925.
 - I. Hayasaka, On Some Palaeozoic Molluscs of Japan.
 - 1. Lamellibranchiata and Scaphopoda.
- Vol. 9, No. 1, July 31, 1926.
 - H. Yabe and S. Hanzawa, A Foraminiferous Limestone, with a Questionable Fauna, from Klias Peninsula, British North Borneo.
 - H. Yabe and S. Hanzawa, *Chofatella* Schlumberger and *Pseudocyclammina*, a New Genus of Arenaceous Foraminifera.
 - H. Yabe and S. Hanzawa, Geological Age of the Orbitolina-Bearing Rocks of Japan.
 - H. Yabe and T. Nagao, Praecaprotina, nov. gen., from the Lower Cretaceous of Japan.
- Vol. 9, No. 2, December 25, 1926.
 - S. Shimizu, On Two Species of Nautiloidea from the Tertiary of Japan.
 - T. Nagao, Aturia yokoyamai, nov. nom., from the Palaeogene of Kyushu.
 - H. Yabe, T. Nagao and S. Shimizu, Cretaceous Mollusca from the Sanchu Graben in the Kwanto Mountainland, Japan.
- Vol. 9, No. 3, March 25, 1928.
 - H. Yabe and T. Nagao, Cretaceous Fossils from Hokkaido. Annelida, Gastropoda and Lamellibranchiata.
 - T. Nagao, Palaeogene Fossils of the Island of Kyushu, Japan. Part 1.
- Vol. 10, No. 1, May 31, 1926.

- H. Matsumoto, On Two New Mastodonts and an Archetypal Stegodont of Japan.
- H. Matsumoto, On Two Species of Fossil Pinnipedia from Kazusa and Saghalin.
- H. Matsumoto, On Some Fossil Cetaceans of Japan.
- Vol. 10, No. 2, September 30, 1926.
 - H. Matsumoto, On Some New Fossil Cervicorns from Kazusa and Liukiu.
 - H. Matsumoto, On Some Fossil Cervids from Shantung, China.
 - H. Matsumoto, On a New Fossil Race of Bighorn Sheep from Shantung, China.
 - H. Matsumoto, On the Archetypal Mammoths from the Province of Kazusa.
- Vol. 10, No. 3, April 25, 1927.
 - H. Matsumoto, On Bison exguus Matsumoto and Its Ancestry.
 - H. Matsumoto, On a New Fossil Race of the Asiatic Elephant in Japan.
- Vol. 10, No. 4, November 25, 1927.
 - H. Matsumoto, On Hipparion Richthofeni Koken.
- Vol. 11, No. 1, July 30, 1927.
 - T. Nagao, Paleogene Coal-Bearing Formations of the Island of Kyushu.
 - K. Koiwai, On the Occurrence of a New Species of *Neuropteridium* in Korea and Its Geological Significance.
 - H. Yabe, Cretaceous Stratigraphy of the Japanese Islands.
- Vol. 11, No. 2, January 30, 1927.
 - H. Yabe and S. Shimizu, The Triassic Fauna of Rifu, near Sendai.
- Vol. 12, No. 1, August 30, 1928.
 - T. Nagao, A Summary of the Paleogene Stratigraphy of Kyushu, Japan, with Some Accounts on the Fossiliferous Zones.
 - T. Nagao, Paleogene Fossils of the Island of Kyushu, Japan.
 - H. Yabe and S. Toyama, On Some Rock-Forming Algae from the Younger Mesozoic of Japan.
- Vol. 12, No. 2 A, September 12, 1931.
 - S. Hanzawa, Notes on Tertiary Foraminferous Rocks from the Kwanto Mountainland, Japan.
 - S. Hanzawa, On Some Miocene Rocks with Lepidocyclina from the Izu and Boso Peninsulas.
 - S. Hanzawa, Notes on Some Eocene Foraminifera found in Taiwan (Formosa), with Remarks on the Age of the Hori Slate Formation and Crystalline Schists.
- Vol. 12, No. 2 B, March 30, 1933.
 - H. Yabe and S. Oishi, Mesozoic Plants from Manchuria.
 - S. Oishi, A Study on the Cuticles of Some Mesozoic Gymnospermous Plants from China and Manchuria.
- Vol. 13, No. 1, March 22, 1929.
 - H. Matsumoto, On Loxodonta (Palaeoloxodon) namadica (Falconer and Cautley) in Japan.
 - H. Matsumoto, On Loxodonta (Palaeoloxodon) Tokunagai Matsumoto, with Remarks on the Descent of Loxodonitine Elephants.
 - H. Matsumoto, On Parastegodon Matsumoto and its Bearing on the Descent of Earlier Elephants.
- Vol. 13, No. 2, May 25, 1929.
 - H. Matsumoto, On a New Fossil Land-Turtle from the Eocene of Kyushu.
 - H. Matsumoto, Morphological Notes on Two Palaeozoic Ophiuroids.
 - H. Matsumoto, A Classification of the Palaeozoic Ophiuroidea.
 - H. Matsumoto, Outline of a Classification of Echinodermata.
- Vol. 13, No. 3, July 31, 1930
 - H. Matsumoto, Evidences of the Post-Glacial Cycle of Climatic Change in North-Eastern Japan, based upon a Study of the Marine Molluscs and Mammals from the Sites at Daigi, Miyagi District, at Hibiku, Mono District and at Miyato Island, ditto, all, Province of Rikuzen.
 - H. Matsumoto, On the Third Phase of Holocene in North-Eastern Japan, as evidenced by the Molluscan Fauna at Several Sites in the Province of Rikuzen.
 - H. Matsumoto, On a New Race of Sus from the Type-Site of Atsutean.
 - H. Matsumoto, On the Remains of Sword-Fish obtained from the Sites at Osozawa, Otomomura, Kesen District, and at Miyato Island, Mono District, both, Province of Rikuzen.
 - H. Matsumoto, On the Growth of the Watari to Rikuzen Plain in the Period of Ostrea gigas.
 - H. Matsumoto, On the Type-Material of Sus nipponicus sendai.
 - H. Matsumoto, Report of the Mammalian Remains obtained from the Sites at Aoshima and Hibiku, Province of Rikuzen.

- H. Matsumoto, On the Marine Faunae of Three Fossil Zones of the Upper Miocene of Natori District, Province of Rikuzen.
- H. Matsumoto, Brief Notes on the Racial Types of the Fossil to Subfossil Human Skeletons in Japan.
- Vol. 14, No. 1, June 15, 1930.
 - H. Yabe and S. Hanzawa, Tertiary Foraminiferous Rocks of Taiwan (Formosa).
 - H. Yabe and T. Sugiyama, On Some Ordovician Stromatoporoids from South Manchuria, North China and Chosen (Corea), with Notes on Two New European Forms.
 - S. Shimizu, On Some Anisic Ammonities from the *Hollandites*-Beds of the Kitakami Mountainland.
 - S. Shimizu, Two New Species of Ladinic Ammonites from the Daonella-Beds of Rifu, Province of Rikuzen.
- S. Hanzawa, Note on Foraminifera found in the *Lepidocyclina*-Limestone from Pabenasan, Java. Vol. 14, No. 2 A, July 20, 1931.
 - S. Oishi, A Note on Pecopteris orientalis (Schenk) from the Gigantopteris-Bed of Chikando, Korea.
 - H. Yabe and T. Sugiyama, On Some Spongiomorphoid Corals from the Jurassic of Japan.
 - S. Oishi, Fossil Plants from Japan and Korea.
 - H. Yabe and T. Sugiyama, A Study of Recent and Semifossil Corals of Japan. 1. Antillia and 2. Caulastraea.
- Vol. 14, No. 2 B, December 31, 1935.
 - H. Yabe and T. Sugiyama, Jurassic Stromatoporoids from Japan.
- Vol. 15, No. 1, August 30, 1931.
 - S. Shimizu, The Marine Lower Cretaceous Deposits of Japan, with Special Reference to the Ammonites Bearing Zones.
- Vol. 15, No. 2, March 31, 1932.
 - S. Endo and H. Morita, Notes on the Genera Comptoniphyllum and Liquidambar.
 - H. Yabe and M. Eguchi, Some Recent and Fossil Corals of the Genus Stephanophyllia H. Michelin from Japan.
 - S. Nomura, Mollusca from the Raised Beach Deposits of the Kwanto Region.
 - H. Yabe and T. Sugiyama, Reef Corals found in the Japanese Seas.
- Vol. 15, No. 3, November 15, 1932.
 - S. Nomura and H. Niino, Fossil Mollusca from Izu and Hakone.
 - H. Yabe, Brachiopods of the Genus Pictothyris Thomson, 1927.
- Vol. 16, No. 1, November 28, 1933.
 - S. Nomura, Catalogue of the Tertiary and Quartery Mollusca from the Island of Taiwan (Formosa) in the Institute of Geology and Paleontology, Tohoku Imperial University. Part 1. Pelecypoda.
- Vol. 16, No. 2, February 29, 1934.
 - S. Nomura and N. Zinbo, Marine Mollusca from the "Ryukyu Limestone" of Kikai-jima, Ryukyu Group.
- Vol. 16, No. 3, December 31, 1934.
 - Ting Ying H. Ma, On the Growth Rate of Reef Corals and the Sea Water Temperature in the Japanese Islands During the Latest Geological Times.
- Vol. 16, No. 4, August 25, 1935.
 - R. Endo, Additional Fossils from the Canadian and Ordovician Rocks of the Southern Part of Manchoukuo.
 - M. Yossii, On Some Glaucophne-rocks from the Ryukyu Archipelago.
- Vol. 17, June 20, 1935.
 - S. Hanzawa, Topography and Geology of the Riukiu Islands.
- Vol. 18, No. 1, October 18, 1935.
 - S. Hanzawa, Some Fossil Operculina and Miogypsina from Japan, and Their Stratigraphical Significance.
 - S. Nomura, A Note on Some Fossil Mollusca from the Takikawa Beds of the Northwestern Part of Hokkaido, Japan.
 - S. Nomura and N. Zinbo, Fossil and Recent Mollusca from the Island of Kita-Daito-Zima.
- Vol. 18, No. 2, November 20, 1935.
 - S. Nomura, Catalogue of the Tertiary and Quartery Mollusca from the Island of Taiwan

(Formosa) in the Institute of Geology and Paleontology, Tohoku Imperial University. Part 2. Scaphopoda and Gastropoda.

- Vol. 18, No. 3, February 28, 1936.
 - S. Nomura and N. Zinbo, Molluscan Fossils from the Simaziri Beds of Okinawa-zima, Ryukyu Islands.
- M. Shimakura, Studies on Fossil Woods from Japan and Adjacent Lands. Contribution I. Vol. 19, No. 1, October 28, 1937.
 - M. Shimakura, Studies on Fossil Woods from Japan and Adjacent Islands. Contribution II. The Cretaceous Woods from Japan, Saghlien and Manchoukuo.
 - T. Shikama, Fossil Cervidae from Syatin, Taiwan (Formosa).
 - H. Yabe and K. Asano, Contribution to the Paleontology of the Tertiary Formations of West Java.

 Part 1. Minute Foraminifera from the Neogene of West Java.
 - H. Yabe and M. Eguchi, Notes on Deltocyathus and Discotrochus from Japan.
- Vol. 19, No. 2, December 28, 1938.
 - H. Yabe and K. Hatai, On the Japanese Species of Vicarya.
 - R. Imaizumi, Fossil Crayfish from Jehol.
 - K. Asano, Japanese Fossil Nodosariidae, with Notes on the Frondiculariidae.
 - H. Yabe and S. Oishi, Notes on Some Fossil Plants from Fukien Province, China.
 - S. Nomura, Molluscan Fossils from the Tatunokuti Shell Bed Exposed at Goroku Cliff in the Western Border of Sendai.
- Vol. 20, March 30, 1940.
 - K. Hatai, Cenozoic Brachiopoda from Japan.
- Vol. 21, No. 1, March 28, 1940.
 - S. Nomura, Molluscan Fauna of the Moniwa Shell Bed Exposed Along the Natori-gawa in the Vicinity of Sendai, Miyagi Prefecture, Japan.
 - S. Endo, A Pleistocene Flora from Siobara, Japan.
- Vol. 21, No. 2, August 28, 1940.
 - T. Sugiyama, Stratigraphical and Palaeontological Studies of the Gotlandian Deposits of the Kitakami Mountainland.
 - H. Yabe and K. Hatai, A Note on *Pecten* (Fortipecten, subg. nov.) takahashii Yokoyama and its Bearing on the Neogene Deposits of Japan.
- Vol. 22, No. 1, April 30, 1941.
 - H. Yabe and K. Hatai, The Cenozoic Formations and Fossils of Northeast Honsyû, Japan.
- Vol. 22, No. 2, September 28, 1942.
 - H. Yabe and M. Eguchi, Fossil and Recent Flabellum from Japan.
 - H. Yabe and M. Eguchi, Fossil and Recent Simple Corals from Japan.
- Vol. 23, December 18, 1949.
 - T. Shikama, The Kuzuu Ossuaries. Geological and Plaeontological Studies of the Limestone Fissure Deposits in Kuzuu, Totigi Prefecture.
- Vol. 24, December 18, 1951.
 - M. Eguchi, Mesozoic Hexacorals from Japan.
- Vol. 25, March 31, 1953.
 - S. Hanzawa, K. Hatai, J. Iwai, N. Kitamura and Y. Shibata, The Geology of Sendai and its Environs.
- Vol. 26, March 29, 1955.
 - H. Okutsu, On the Stratigraphy and Paleobotany of the Cenozoic Plant Beds of the Sendai Area.
- Vol. 27, February, 29, 1956.
 - K. Asano, The Foraminifera from the Adjacent Seas of Japan, Collected by the S.S. Soyo-maru, 1922–1930. Part 1-Nodosariidae and Part 2-Miliolidae.
- Vol. 28, March 22, 1957.
 - K. Asano, The Foraminifera from the Adjacent Seas of Japan, Collected by the S. S. Soyo-maru, 1922–1930.
 - T. Kanaya, Eocene Diatom Assemblages from the Kellogg and "Sidney" Shales, Mt. Diablo Area, California.
- Vol. 29, March 22, 1958.
 - K. Asano, The Foraminifera from the Adjacent Seas of Japan, Collected by the S. S. Soyo-maru,

1922-1930. Part 4-Buliminidae.

- K. Asano, Some Paleogene Smaller Foraminifera from Japan.
- H. Mii, Beach Cusps on the Pacific Coast of Japan.
- Vol. 30, March 10, 1959.
 - T. Kanaya, Miocene Diatom Assemblages from the Onnagawa Formation and their Distribution in the Correlative Formations in Northeast Japan.
- Vol. 31, No. 1, September 21, 1959.
 - K. Asama, Systematic Study of So-called Gigantopteris.
- Vol. 31, No. 2, December 19, 1959.
 - T. Kotaka, The Cenozoic Turritellidae of Japan.
- Vol. 32, No. 1, November 28, 1960.
 - Y. Takayanagi, Cretaceous Foraminifera from Hokkaido, Japan.
- Vol. 32, No. 2, March 30, 1961.
 - R. Imaizumi, A Critical Review and Systematic Descriptions of Known and New Species of Carcinoplax from Japan.
 - E. Kon'no, Some *Cycadocarpidium* and *Podozamites* from the Upper Triassic Formations in Yamaguchi Prefecture, Japan.
 - J. Kataoka, Bryozoan Fauna from the "Ryukyu Limestone" of Kikai-jima, Kagoshima Prefecture, Japan.
 - T. Shibata, An Interesting Sedimentary Structure Observed in the Tomiya-Nanakita Area in the North of Sendai City, Miyagi Prefecture.
- Vol. 33, No. 1, November 20, 1961.
 - S. Hayasaka, The Geology and Paleontology of the Atsumi Peninsula, Aichi Prefecture, Japan.
 - N. Kitamura, Sole Markings in the Taishu Group developed around Mitsushima-cho, Tsushima Islands, Japan.
- Y. Takayanagi, Some New Names for the Cretaceous Foraminifera from Hokkaido, Japan. Vol. 33, No. 2, March 10, 1962.
 - K. Masuda, Tertiary Pectinidae of Japan.

Science Reports (Special Volume)

- No. 1, November 30, 1936.
 - H. Yabe, T. Sugiyama and M. Eguchi, Recent Reef-Building Corals from Japan and the South Sea Islands Under the Japanese Mandate. I.
- No. 2, September 30, 1941
 - H. Yabe and T. Sugiyama, Recent Reef-Building Corals from Japan and the South Sea Islands Under the Japanese Mandate. II.
- No. 3, November 20, 1952.
 - K. Hatai and S. Nisiyama, Check List of Japanese Tertiary Marine Mollusca.
- No. 4, May 5, 1960. (Hanzawa Memorial Volume)
 - O. L. Bandy, Planktonic Foraminiferal Criteria for Paleoclimatic Zonation.
 - W. S. Cole, Problems of the Geographic and Stratigraphic Distributions of Certain Tertiary Larger Foraminifera.
 - I. Crespin, Some Recent Foraminifera from Vestfold Hills, Antarctica.
 - K. O. Emery, Oceanography on a Postage Stamp.
 - M. F. Glaessner, Upper Cretaceous Larger Foraminifera from New Guinea.
 - G. L. Harrington, A Recent Foraminiferal Faunule from Honshu, Japan.
 - I. Küpper, Miogypsinen aus Britisch West-Afrika (Cameroon).
 - F. L. Parker, Living Planktonic Foraminifera from the Equatorial and Southeast Pacific.
 - F. B. Phleger, Foraminiferal Populations in Laguna Madre, Texas.
 - H. G. Schenck and J. J. Graham, Sub-dividing a Geologic Section.
 - R. Todd, Some Observations on the Distribution of Calcarina and Baculogypsina in the Pacific.
 - M. L. Thompson, Stratigraphic Distribution of American Pennsylvanian Fusulinid Foraminifera.
 - T. Kobayashi, Some Miocene Nautiloids from Shimane and Toyama Prefectures, West

Japan.

- M. Noda, A Gotlandian Coral newly found in the Hoei Mine, Oita Prefecture, Japan.
- K. Hatai, Japanese Miocene Reconsidered.
- W. Ishijima, Eocene Coralline Algae from the Kuma Group in the Ishizuchi Range, Japan.
- E. Kon'no, Schizoneura manchuriensis Kon'no and its Fruetification (Manchurostachys n. gen.) from the Gigantopteris nicotianaefolia-bearing formation in Penchihu Coal-field, Northeastern China.
- K. Asano, The Foraminifera from the Adjacent Seas of Japan, Collected by the S. S. Soyomaru, 1922–1930. Part 5. Nonionidae.
- J. Iwai, Pleistocene Deposits in the Environs of Taira City, Fukushima Prefecture.
- R. Imaizumi, Phylogeny of Carcinoplax.
- M. Kawano, Some Fusulinids from the Aratani Conglomerate in the Northeastern Part of Yamaguchi City.
- Y. Tai, Miocene Smaller Foraminifera from the Funo and Saijo Basins, Hiroshima Prefecture, West Japan.
- N. Kitamura, A Cross Section through the Backbone Ranges in Northeast Honshu, Japan.
- K. Asama, Evolution of the Leaf Forms through the Ages Explained by the Successive Retardation and Neoteny.
- Y. Kamada, On the Associated Occurrence of Vicarya and Vicaryella in the Japanese Tertiary, with the first Description of a Paleogene Species of Vicarya from Japan.
- S. Murata and M. Sugahara, Some Paleogene Foraminifera from the Vicinity of Ariake Bay, Kyushu.
- T. Kotaka, Similarity in the Turritellid Phylogeny in the Later Cenozoic.
- Y. Takayanagi, Annotated Bibliography of the Cretaceous Foraminifera from Japan.
- K. Suzuki, On the Rhamnaceae from the Late Miocene and Pliocene Yamato Group in the Western Border of the Aizu Basin, Fukushima Prefecture, Japan.
- J. Katto, Some Problematica from the So-called Unknown Mesozoic Strata of the Southern Part of Shikoku, Japan.
- H. Igo, Yabeina from the Omi Limestone, Niigata Prefecture, Central Japan.
- Y. Saito, T. Mizukami and M. Tsukada, Stratigraphical and Pollen Analytical Studies of the Pleistocene Deposits in the Northern Part of Nagano Prefecture, Central Japan.
- S. Hayasaka, Large-sized Oysters from the Japanese Pleistocene and their Paleoecological Implications.
- K. Masuda, On the Morphogenesis of Nanaochlamys.
- H. Nakagawa, On the Cuesta Topography of the Boso Peninsula, Chiba Prefecture, Japan.
- J. Kataoka, Bryozoa from Mogami-Tai, Japan Sea.
- R. Endo, Phylogenetic Relationships among the Calcareous Algae.
- N. Hatae, On the Nummulites Zone of the Islands of Amakusa, Kyushu, Japan.
- M. Eguchi and S. Suzuki, Subsurface Geology in the Northern Part of the Futaba District (Tomioka and its Environs), Johan Coal-field.
- W. Hashimoto, Some Problems Concerning the Older Deposits prior to the Middle Yezo Group of Hokkaido.
- H. Okutsu, On the Geology and Plant Remains of the Quaternary Deposits Developed under the Sendai Plain.
- Y. Onuki, Geological Significance and Some Problems of the Clay Beds in an Upper Paleozoic Formation.
- S. Takahashi, Directions of Folding and Sedimentary Depressions in the Niigata Oil Field Region.
- H. Kano, On a Granite-bearing Conglomerate from the Torinoko Massif and its Geological Significance.
- R. Shoji, The Horizon of the Volcanic Detritus incorporated Cyclothemic Arrangement in the Coal Bearing Strata in Japan.
- T. Oyama, Miocene Fossil Plants from Kamikanazawa, Daigo-machi, Ibaraki Prefecture, Japan.
- S. Minakawa, O. Yamagata, K. Konno and H. Miyaguchi, On the Neogene Formations in the Southwestern Environs of the Shinjo Basin and Relations to the Northwestern Environs of the Yamagata Basin.

- J. Nagasawa, On the Variation of Rapana thomasiana Crosse in the Pleistocene Formations of the Boso Peninsula.
- Murai, On the Geology of the Eastern Border of the Shizukuishi Basin.
- T. Kihara, Relation between the Paleogene Coal-bearing and Marine Formations along the Eastern Coast of the Ariake Sea, Kyushu.
- Araki, Tertiary Formations of the Awa Basin, Mie Prefecture.
- Y. Fujita and S. Aoki, On the Miocene Stratigraphy of the Sen-nan District, Northeast Honshu, Japan.
- T. Konda, Local Variation of Rock Types of Dolerites in the Dewa Hills, Northern Honshu.
- J. Akutsu, Laminated Diatomaceous Siltstones Developed in the Miyajima Formation, Shiobara Group, Tochigi Prefecture.
- Shibata, On the Unconformity between the Tatsunokuchi Formation and the Kitayama Formation.
- Matsuno, On the Geological Age of the Kawabata and Kotambetsu Formations and the Crustal Movements during their Deposition.
- Suvari, The Volcanic Activities of the Chichibu Terrain in Shikoku. K.
- Saito and Y. Bando, Plio-Pleistocene Strata in the Inner Zone of Shikoku, Japan.
- Tsuchi, The Geological History of the Quaternary Formations in the Lower Course of the Tenryu River, Central Japan.
- H. Mii, Holocene Deposits of the Hachiro-gata (Lagoon).
- M. Murata, The Permian Stratigraphy and Structure of Mt. Fujiwaradake and its Neighborhood.
- K. Ishizaki, On Some Evidences found within Ryoseki Basin and their Interpretation.
- No. 5, March 10, 1962. (Kon'no Memorial Volume)
 - E. Kon'no, Some Coniferous Male Fructifications from the Carnic Formations in Yamaguchi Prefecture, Japan.
 - Kon'no, Some Species of Neocalamites and Equisetites in Japan and Korea.
 - K. Asano, Tertiary Globigerinids from Kyushu, Japan.
 - Takayanagi and T. Saito, Planktonic Foraminifera from the Nobori Formation, Shikoku, Japan.
 - Ishizaki, A New Locality and Faunal Assemblage of Fusulinids from the Limestone in the Area West of Ryoseki, Kochi Prefecture.
 - M. Murata, The Upper Jurassic of Cape Shiriya, Aomori Prefecture, Japan.
 - Kotaka, Marine Mollusca dredged by the "S. S. Hokuho-maru" during 1959 in the Okhotsk Sea.
 - Masuda, Notes on the Tertiary Pectinidae of Japan.
 - S. Hayasaka, Summary of the Geology and Paleontology of the Atsumi Peninsula, Aichi Prefecture, Japan.
 - Noda, Serripes (Mollusca) from Japan and Saghalien.
 - Imaizumi, Miocene Cancer (Brachyura) of Japan.

 - Asama, Evolution of Shansi Flora and Origin of Simple Leaf.

 Takeuti, Palynological Studies on the Pleistocene sediments of Ipponsugi in the Northern Part of Sendai City, Japan.
 - Sedimentary Structures observed in the Hanaizumi Formation, Iwate Prefecture, Iwai, Northeast Japan.
 - Shibata, Pyroclastic Rubble Flow in the Yumoto Tuff Member, Miyagi Prefecture.
 - Kitamura, Preliminary Report on Systematic Jointing in the Taishu Group developed in Mitsushima-cho, Tsushima Islands, Japan.
 - Onuki, Permian and Jurassic Geosynclines in Japan. Y.
 - Hatai, Mizuho Tō.
 - Okutsu, On the Geology and Groundwater Hydrology of the Sendai Area.
 - Mii, Some Ancient Shore Features.
 - H. Nakagawa, Structural Growth of the Kanto Tectonic Basin.