

Announcement

Science Reports of the Tohoku University, Second Series, Geology, vol. 1 (1912) to vol. 24 (1951)..... stock exhausted
Special Volume of the Science Reports of the Tohoku University, Second Series, Geology, no. 1 (1936)..... stock exhausted
Contributions from the Institute of Geology and Paleontology, Tohoku University, no. 1 (1921) to no. 39 (1942)..... stock exhausted
Short Papers from the Institute of Geology and Paleontology, Tohoku University, Complete set (nos. 1-5)..... limited number available
nos. 1 to 4..... available separately
no. 5 separate stock exhausted
Contents and Dates of Issue of the Science Reports of the Tohoku University, Second Series, Geology, vol. 25 (1953) to vol. 41 (1969), Special Volume of the Science Reports of the Tohoku University, Second Series, Geology, no. 2 (1941) to no. 5 (1962), and, Contributions from the Institute of Geology and Paleontology, Tohoku University, no. 40 (1951) to no. 70 (1969).

SCIENCE REPORTS (GEOLOGY)

- Vol. 25, March 31, 1953.
S. Hanzawa, K. Hatai, J. Iwai, N. Kitamura and T. Shibata, The Geology of Sendai and its Environs. p. 1-50, 15 tables, maps and profiles.
- Vol. 26, March 29, 1955.
H. Okutsu, On the Stratigraphy and Paleobotany of the Cenozoic Plant Beds of the Sendai Area. p. 1-114, 34 text-figs., 14 tables, 8 pls.
- Vol. 27, February 29, 1956.
K. Asano, The Foraminifera from the Adjacent Seas of Japan, Collected by the S.S. Soyomaru, 1922-1930. Part 1-Nodosariidae and Part 2-Miliolidae. p. 1-83, 9 pls.
- Vol. 28, March 22, 1957.
K. Asano, The Foraminifera from the Adjacent Seas of Japan, Collected by the S.S. Soyomaru, 1922-1930. p. 1-26, 2 text-figs., 2 pls.
- T. Kanaya, Eocene Diatom Assemblages from the Kellogg and "Sidney" Shales, Mt. Diablo Area, California. p. 27-124, 6 tables, 4 text-figs., 6 pls.
- Vol. 29, March 22, 1958.
K. Asano, The Foraminifera from the Adjacent Seas of Japan, Collected by the S.S. Soyomaru, 1922-1930. Part 4-Buliminidae. p. 1-41, 7 pls.
- K. Asano, Some Paleogene Smaller Foraminifera from Japan. p. 43-75, 2 tables 6 pls.
H. Mii, Beach Cusps on the Pacific Coast of Japan. p. 77-107, 15 text-figs., 2 pls.
- Vol. 30, March 10, 1959.
T. Kanaya, Miocene Diatom Assemblages from the Onnagawa Formation and their Distribution in the Correlative Formations in Northeast Japan. p. 1-130, 7 charts, 4 text-figs., 11 pls.
- Vol. 31, No. 1, September 21, 1959.
K. Asama, Systematic Study of So-called *Gigantopteris*. p. 1-72, 14 tables, 6 graphs, 7 text-figs., 20 pls.
- Vol. 31, No. 2, December 19, 1959.
T. Kotaka, The Cenozoic Turritellidae of Japan. p. 1-135, 10 text-figs., 3 tables, 8 charts, 15 pls.
- Vol. 32, No. 1, November 28, 1960.
Y. Takayanagi, Cretaceous Foraminifera from Hokkaido, Japan. p. 1-154, 22 text-figs., 12 tables, 11 pls.
- Vol. 32, No. 2, March 1960.
R. Imaizumi, A Critical Review and Systematic Descriptions of Known and New Species of *Carcinoplax* from Japan. p. 155-193, 7 text-figs., 10 pls.
- E. Kon'no, Some *Cycadocaridium* and *Podozamites* from the Upper Triassic Formations in Yamaguchi Prefecture, Japan. p. 195-211, 3 text-figs., 2 tables, 3 pls.

- J. Kataoka, Bryozoan Fauna from the "Ryukyu Limestone" of Kikajima, Kagoshima Prefecture, Japan. p. 214-272, 2 text-figs., 2 tables, 13 pls.
- T. Shibata, An Interesting Sedimentary Structure Observed in the Tomiya-Nanakita Area in the North of Sendai City. p. 273-281, 3 text-figs., 2 pls.
- Vol. 33, No. 1, November 20, 1961.
- S. Hayasaka, The Geology and Paleontology of the Atsumi Peninsula, Aichi Prefecture, Japan. p. 1-103, 3 tables, 18 text-figs., 12 pls., 1 map.
- N. Kitamura, Sole Markings in the Taishu Group developed around Mitsushima-cho, Tsushima Islands, Japan. p. 105-114, 3 pls.
- Y. Takayanagi, Some New Names for the Cretaceous Foraminifera from Hokkaido, Japan. p. 115.
- Vol. 33, No. 2, March 10, 1962.
- K. Masuda, Tertiary Pectinidae of Japan. p. 1-238, 11 text-figs., 10 pls.
- Vol. 34, No. 1, June 30, 1962
- H. Mii, Coastal Geology of Tanabe Bay. p. 1-93, 4 tables, 36 text-figs., 6 pls.
- Vol. 34, No. 2, August 20, 1962
- K. Ishizaki, Stratigraphical and Paleontological Studies of the Onogahara and Its Neighboring Area, Kochi and Ehime Prefectures, Southwest Japan. p. 95-185, 34 tables, 20 text-figs., 6 pls.
- T. Shikama and Y. Onuki, Equid Fossils from Iwate and Miyagi Prefectures. p. 187-197, 3 pls.
- Vol. 34, No. 3, December 3, 1962
- H. Noda, The Geology and Paleontology of the Environs of Matsunoyama, Niigata Prefecture, with Reference to the So-called Black Shale. p. 199-236, 5 tables, 7 text-figs., 1 pl., 1 map.
- T. Shibata, Geology of Sendai and Nanakita-Sanbongi Areas, Miyagi Prefecture. p. 239-301, 4 tables, 6 text-figs., 10 pls.
- Vol. 35, No. 1, August 5, 1963
- S. Hanzawa and M. Murata, The Paleontologic and Stratigraphic Considerations on the Neoschwagerininae and Verbeekininae, with the Descriptions of Some Fusulinid Foraminifera from the Kitakami Massif, Japan. p. 1-31, 10 text-figs., 20 pls.
- K. Mori, Geology and Paleontology of the Jurassic Somanakamura Group, Fukushima Prefecture, Japan. p. 33-65, 3 tables, 1 text-fig., 3 pls., 1 map.
- Vol. 35, No. 2, November 20, 1963
- T. Matsunaga, Benthonic Smaller Foraminifera from the Oil-Fields of Northern Japan. p. 67-122, 21 tables, 4 text-figs., 29 pls.
- T. Saito, Miocene Planktonic Foraminifera from Honshu, Japan. p. 123-209, 16 tables, 15 text-figs., 4 pls.
- Vol. 35, No. 3, March 20, 1964
- J. Akutsu, The Geology and Paleontology of Shiobara and Its Vicinity, Tochigi Prefecture. p. 211-293, 15 text-figs., 11 tables, 10 pls.
- S. Hanzawa, The Phylogeny and Morphogenesis of the Tertiary Foraminiferal Families, Lepidocyclinidae and Miogypsinidae. p. 295-313.
- Vol. 36, No. 1, September 20, 1964
- Y. Bando, The Triassic Stratigraphy and Ammonite Fauna of Japan. p. 1-137, 38 text-figs., 6 tables, 15 pls.
- K. Ishizaki, Middle Permian Ostracodes from the Iwaizaki Limestone, Northeast Japan. p. 139-160, 13 text-figs., 1 table, 4 pls.
- Vol. 36, No. 2, February 15, 1965
- Y. Takayanagi, Upper Cretaceous Planktonic Foraminifera from the Putah Creek Subsurface Section along the Yolo-Solano County Line, California. p. 161-237, 9 text-figs., 1 table, 10 pls.
- S. Hanzawa, The Ontogeny and the Evolution of Larger Foraminifera. p. 239-256, 1 table, 11 pls.
- Vol. 37, No. 1, December 10, 1965
- K. Asano and Y. Takayanagi, Stratigraphic Significance of Planktonic Foraminifera from Japan. p. 1-14, 2 text-figs., 5 tables.
- S. O. Schlanger, Dolomite-Evaporite Relations on Pacific Islands. p. 15-29, 9 text-figs.
- H. Nakagawa, Pleistocene Sea Levels along the Pacific Coast of Japan. p. 31-39, 3 text-figs., 1 table.

- S. Hanzawa, Notes on Some Discocyclinid and Nummulitid Foraminifera from Java and Saipan. p. 41–47, 1 table, 8 pls.
- R. Imaizumi, Late Jurassic Algae from Honshu and Shikoku, Japan. p. 49–62, 6 pls.
- K. Hatai, Some Fish Otoliths from Northeast Honshu, Japan. p. 63–77, 1 pl.
- K. Asano, T. Kanaya, T. Shuto and Y. Takayanagi, Record of the Paleontological Reconnaissance Work of the Philippines, 1964. p. 79–87, 1 map.
- Vol. 37, No. 2, March 5, 1966
- T. Kanaya and I. Koizumi, Interpretation of Diatom Thanatocoenoses from the North Pacific Applied to a Study of Core V20–130 (Studies of a Deep-Sea Core V20–130. Part IV). p. 89–130, 6 text-figs., 1 chart, 4 tables.
- K. Ishizaki, Miocene and Pliocene Ostracodes from the Sendai Area, Japan. p. 131–163, 1 text-fig., 2 tables, 4 pls.
- T. Shibata and H. Fujita, Preliminary Report on the Stratigraphy in the Shichigahama-machi and Its Environs, Miyagi Prefecture. p. 165–172, 2 text-figs., 4 pls.
- Vol. 38, No. 1, October 10, 1966
- H. Noda, The Cenozoic Arcidae of Japan. p. 1–161, 16 text-figs., 35 tables, 14 pls.
- Vol. 38, No. 2, March 27, 1967
- T. Huang, Late Tertiary Planktonic Foraminifera from Southern Taiwan. p. 165–192, 6 text-figs., 8 tables, 2 pls.
- T. Oba, Planktonic Foraminifera from the Deep-Sea Cores of the Indian Ocean. p. 193–219, 10 text-figs., 3 tables, 8 pls.
- Y. Matoba, Younger Cenozoic Foraminiferal Assemblages from the Choshi District, Chiba Prefecture. p. 221–263, 8 text-figs., 6 pls.
- Vol. 39, No. 1, October 31, 1967
- M. Hattori, Recent Sediments of Sendai Bay, Miyagi Prefecture, Japan. p. 1–61, 33 text-figs., 5 tables.
- I. Yanagisawa, Geology and Paleontology of the Takakurayama-Yaguki Area, Yotsukura-cho, Fukushima Prefecture. p. 63–112, 4 text-figs., 3 tables, 6 pls.
- Vol. 39, No. 2, November 10, 1967
- K. Matsumaru, Geology of the Tomioka Area, Gunma Prefecture, with a Note on "*Lepidocyclusina*" from the Abuta Limestone Member. p. 113–147, 31 text-figs., 7 tables, 8 pls.
- S. Mitsui, Stylolites from the Izu Peninsula, Shizuoka Prefecture, Japan. p. 149–157, 3 text-figs., 1 table, 9 pls.
- Vol. 39, No. 3, March 15, 1968
- E. Kon'no, The Upper Permian Flora from the Eastern Border of Northeast China. p. 159–211, 5 text-figs., 15 pls.
- K. Asano, J. C. Ingle, Jr., and Y. Takayanagi, Origin and Development of *Globigerina quinqueloba* Natland in the North Pacific. p. 213–241, 16 text-figs.
- Vol. 40, No. 1, August 31, 1968
- K. Ishizaki, Ostracodes from Uranouchi Bay, Kochi Prefecture, Japan. p. 1–45, 17 text-figs., 1 table, 9 pls.
- T. Huang, Smaller Foraminifera from Miyako-jima, Ryukyu. p. 47–63, 3 text-figs., 1 table, 4 pls.
- R. Shoji, Sedimentological Studies on the Ryukyu Limestone of Okinawa, Ryukyu Islands. p. 65–77, 5 text-figs., 2 tables, 4 pls.
- Vol. 40, No. 2, November 30, 1968
- Y. Saito, Geology of the Younger Paleozoic System of the Southern Kitakami Massif, Iwate Prefecture, Japan. p. 79–139, 24 text-figs., 4 tables, 2 pls.
- Y. Takayanagi, N. Niitsuma and T. Sakai, Wall Microstructure of *Globorotalia truncatulinoides* (d'Orbigny). p. 14–170, 4 text-figs., 8 tables, 12 pls.
- Vol. 40, No. 3, December 30, 1968
- I. Koizumi, Tertiary Diatom Flora of Oga Peninsula, Akita Prefecture, Northeast Japan. p. 171–240, 15 text-figs., 2 charts, 2 tables, 4 pls.
- Vol. 41, No. 1, September 13, 1969
- H. Takahashi, Stratigraphy and Ammonite Fauna of the Jurassic System of the Southern Kitakami Massif, Northeast Honshu, Japan. p. 1–93, 10 text-figs., 6 tables, 19 pls.
- K. Okami, Sedimentary Petrographic Study of the Quartzose Sandstone of the Tomizawa

Formation. p. 95-108, 9 text-figs.
Vol. 41, No. 2, November 20, 1969

- K. Hatai, A Memorial to Hisakatsu Yabe. p. 109-128.
T. Oba, Biostratigraphy and Isotopic Paleotemperature of some Deep-Sea Cores from the Indian Ocean. p. 129-195, 27 text-figs., 15 tables, 4 pls.
K. Ishizaki, Ostracodes from Shinjiko and Nakanoumi, Shimane Prefecture, Japan. p. 197-224, 1 table, 2 pls.

SCIENCE REPORTS (SPECIAL VOLUME)

No. 2, September 30, 1941

- H. Yabe and T. Sugiyama, Recent Reef-Building Corals from Japan and the South Sea Islands Under the Japanese Mandate. 11. p. 67-91, pls. LX-CIV.

No. 3, November 20, 1952

- K. Hatai and S. Nisiyama, Check List of Japanese Tertiary Marine Mollusca. p. 1-464.

No. 4, May 5, 1960 (Hanzawa Memorial Volume)

- O.L. Bandy, Planktonic Foraminiferal Criteria for Paleoclimatic Zonation. p. 1-8, 2 text-figs.
W.S. Cole, Problems of the Geographic and Stratigraphic Distributions of Certain Tertiary Larger Foraminifera. p. 9-18.

- I. Crespin, Some Recent Foraminifera from Vestfold Hills, Antarctica. p. 19-31, 1 text-fig., 3 pls.

- K.O. Emery, Oceanography on a Postage Stamp. p. 33-35, 2 pls.

- M.F. Glaessner, Upper Cretaceous Larger Foraminifera from New Guinea. p. 37-44, 1 text-fig., 1 pl.

- G.L. Harrington, A Recent Foraminiferal Faunule from Honshu, Japan. p. 45-55, 1 text-fig.

- I. Küpper, Miogypsinen aus Britisch West-Afrika (Cameroon). p. 56-69, 3 text-figs., 3 pls.

- F.L. Parker, Living Planktonic Foraminifera from the Equatorial and Southeast Pacific. p. 71-82, 20 text-figs.

- F.B. Phleger, Foraminiferal Populations in Laguna Madre, Texas. p. 83-91, 9 text-figs.

- H.G. Schenck and J.J. Graham, Subdividing a Geologic Section. p. 92-99, 1 text-fig.

- R. Todd, Some Observations on the Distribution of *Calcarina* and *Baculogypsina* in the Pacific. p. 100-107, 1 text-fig., 1 pl.

- M.L. Thompson, Stratigraphic Distribution of American Pennsylvanian Fusulinid Foraminifera. p. 109-116, 2 text-figs.

- T. Kobayashi, Some Miocene Nautiloids from Shimane and Toyama Prefectures, West Japan. p. 117-124, 3 text-figs., 2 pls.

- M. Noda, A Gotlandian Coral newly found in the Hoei Mine, Oita Prefecture, Japan. p. 125-126, 1 pl.

- K. Hatai, Japanese Miocene Reconsidered. p. 129-153.

- W. Ishijima, Eocene Coralline Algae from the Kuma Group in the Ishizuchi Range, Japan. p. 154-161, 2 pls.

- E. Kon'no, *Schizoneura manchuriensis* Kon'no and its Fructification (*Manchurostachys* n. gen.) from the *Gigantopteris nicotianaefolia*-bearing Formation in Penchihu Coal-field, Northeastern China. p. 163-188, 4 text-figs., 5 pls.

- K. Asano, The Foraminifera from the Adjacent Seas of Japan, Collected by the S.S. Soyo-maru, 1922-1930. Part 5. Nonionidae. p. 189-201, 2 pls.

- J. Iwai, Pleistocene Deposits in the Environs of Taira City, Fukushima Prefecture. p. 203-215, 4 text-figs.

- R. Imaizumi, Phylogeny of *Carcinoplax*. p. 216-222, 1 pl.

- M. Kawano, Some Fusulinids from the Aratani Conglomerate in the Northeastern Part of Yamaguchi City. p. 223-230, 2 pls.

- Y. Tai, Miocene Smaller Foraminifera from the Funo and Saijo Basins, Hiroshima Prefecture, West Japan. p. 231-235, 1 text-fig.

- N. Kitamura, A Cross-Section through the Backbone Ranges in Northeast Honshu, Japan. p. 236-251, 3 text-figs.

- K. Asama, Evolution of the Leaf Forms through the Ages Explained by the successive Retardation and Neoteny. p. 252-280, 6 text-figs., 4 pls.

- Y. Kamada, On the Associated Occurrence of *Vicarya* and *Vicaryella* in the Japanese Tertiary,

- with the First Description of a Paleogene Species of *Vicarya* from Japan. p. 281–295, 2 pls.
- S. Murata and M. Sugahara, Some Paleogene Foraminifera from the Vicinity of Ariake Bay, Kyushu. p. 297–300, 1 pl.
- T. Kotaka, Similarity in the Turritellid Phylogeny in the Later Cenozoic. p. 301—308, 4 text-figs.
- Y. Takayanagi, Annotated Bibliography of the Cretaceous Foraminifera from Japan. p. 309–315.
- K. Suzuki, On the Rhamnaceae from the Late Miocene and Pliocene Yamato Group in the Western Border of the Aizu Basin, Fukushima Prefecture, Japan. p. 316–322, 1 text-fig., 1 pl.
- J. Katto, Some Problematica from the so-called Unknown Mesozoic Strata of the Southern Part of Shikoku, Japan. p. 323–334, 2 pls.
- H. Igo, *Yabeina* from the Omi Limestone, Niigata Prefecture, Central Japan. p. 335–343, 1 pl.
- Y. Saito, T. Mizukami and M. Tsukada, Stratigraphical and Pollen Analytical Studies of the Pleistocene Deposits in the Northern Part of Nagano Prefecture, Central Japan. p. 345–355, 4 text-figs.
- S. Hayasaka, Large-sized Oysters from the Japanese Pleistocene and their Paleoecological Implications. p. 356–370, 7 text-figs., 2 pls.
- K. Masuda, On the Morphogenesis of *Nanaochlamys*. p. 371–383, 10 text-figs., 1 pl.
- H. Nakagawa, On the Cuesta Topography of the Boso Peninsula, Chiba Prefecture, Japan. p. 385–391, 3 text-figs., 1 pl.
- J. Kataoka, Bryozoa from Mogami-Tai, Japan Sea. p. 393–399, 1 text-fig., 1 pl.
- R. Endo, Phylogenetic Relationships among the Calcareous Algae. p. 401–410, 7 text-figs.
- N. Hatae, On the *Nummulites* Zone of the Islands of Amakusa, Kyushu, Japan. p. 411–423, 26 text-figs.
- M. Eguchi and S. Suzuki, Subsurface Geology in the Northern Part of the Futaba District (Tomioka and its Environs), Joban Coal-field. p. 424–436, 4 text-figs.
- W. Hashimoto, Some Problems Concerning the Older Deposits prior to the Middle Yezo Group of Hokkaido. p. 437–460, 7 text-figs.
- H. Okutsu, On the Geology and Plant Remains of the Quaternary Deposits Developed under the Sendai Plain. p. 448–460, 7 text-figs.
- Y. Onuki, Geological Significance and Some Problems of the Clay Beds in an Upper Paleozoic Formation. p. 461–470.
- S. Takahashi, Directions of Folding and Sedimentary Depressions in the Niigata Oil Field Region. p. 471–475, 1 text-fig.
- H. Kano, On a Granite-bearing Conglomerate from the Torinoko Massif and its Geological Significance. p. 476–481, 2 text-figs.
- R. Shoji, The Horizon of the Volcanic Detritus incorporated Cyclothemetic Arrangement in the Coal Bearing Strata in Japan. p. 482–490, 1 text-fig.
- T. Oyama, Miocene Fossil Plants from Kamikanazawa, Daigo-machi, Ibaraki Prefecture, Japan. p. 488–490, 1 text-fig.
- S. Minakawa, O. Yamagata, K. Konno and H. Miyaguchi, On the Noegene Formations in the Southwestern Environs of the Shinjo Basin and Relations to the Northwestern Environs of the Yamagata Basin. p. 491–501, 1 text-fig.
- J. Nagasawa, On the Variation of *Rapana thomasiana* Crosse in the Pleistocene Formations of the Boso Peninsula. p. 502–508, 2 text-figs.
- S. Murai, On the Geology of the Eastern Border of the Shizukuishi Basin. p. 509–514, 1 text-fig.
- T. Kihara, Relation between the Paleogene Coal-bearing and Marine Formations along the Eastern Coast of the Ariake Sea, Kyushu. p. 515–522, 1 text-fig.
- Y. Araki, Tertiary Formations of the Awa Basin, Mie Prefecture. p. 523–529, 2 text-figs.
- Y. Fujita and S. Aoki, On the Miocene Stratigraphy of the Sen-nan District, Northeast Honshu, Japan. p. 529—538, 3 text-figs.
- T. Konda, Local Variation of Rock Types of Dolerites in the Dewa Hills, Northern Honshu. p. 539–543, 1 text-figs.
- J. Akutsu, Laminated Diatomaceous Siltstones Developed in the Miyajima Formation, Shiobara Group, Tochigi Prefecture. p. 544–554, 4 text-figs., 2 pls.
- T. Shibata, On the Unconformity between the Tatsunokuchi Formation and the Kitayama Formation. p. 555–565, 5 text-figs.
- K. Matsuno, On the Geological Age of the Kawabata and Kotambetsu Formations and the

- Crustal Movements during their Deposition. p. 566-570, 1 text-fig.
- K. Suyari, The Volcanic Activities of the Chichibu Terrain in Shikoku. p. 571-575, 1 table.
- M. Saito and Y. Bando, Plio-Pleistocene Strata in the Inner Zone of Shikoku, Japan. p. 576-582, 5 text-figs.
- R. Tsuchi, The Geological History of the Quaternary Formations in the Lower Course of the Tenryu River, Central Japan. p. 583-589, 3 text-figs.
- H. Mii, Holocene Deposits of the Hachiro-gata (Lagoon). p. 590-598, 4 text-figs.
- M. Murata, The Permian Stratigraphy and Structure of Mt. Fujiwaradake and its Neighborhood. p. 599-604, 4 text-figs.
- K. Ishizaki, On Some Evidences found within Ryoseki Basin and their Interpretation. p. 605-609, 3 text-figs.
- No. 5, March 10, 1962 (Kon'no Memorial Volume)
- E. Kon'no, Some Coniferous Male Fructifications from the Carnic Formations in Yamaguchi Prefecture, Japan. p. 9-19, 5 text-figs., 8 pls.
- E. Kon'no, Some Species of *Neocalamites* and *Equisetites* in Japan and Korea. p. 21-47, 5 text-figs., 1 table, 10 pls.
- K. Asano, Tertiary Globigerinids from Kyushu, Japan. p. 49-65, 5 pls.
- Y. Takayanagi and T. Saito, Planktonic Foraminifera from the Nobori Formation, Shikoku, Japan. p. 67-106, 2 text-figs., 1 table, 5 pls.
- K. Ishizaki, A New Locality and Faunal Assemblage of Fusulinids from the Limestone in the Area West of Ryoseki, Kochi Prefecture. p. 107-118, 6 tables, 1 pl.
- M. Murata, The Upper Jurassic of Cape Shiriya, Aomori Prefecture, Japan. p. 119-126, 1 text-fig., 3 pls.
- T. Kotaka, Marine Mollusca dredged by the "S.S. Hokuto-maru" during 1959 in the Okhotsk Sea. p. 127-158, 2 tables, 3 pls.
- K. Masuda, Notes on the Tertiary Pectinidae of Japan. p. 159-193, 9 tables.
- S. Hayasaka, Summary of the Geology and Paleontology of the Atsumi Peninsula, Aichi Prefecture, Japan. p. 195-217, 9 tables.
- H. Noda, *Serripes* (Mollusca) from Japan and Saghalien. p. 219-232, 4 pls.
- R. Imaizumi, Miocene *Cancer* (Brachyura) of Japan. p. 233-245, 11 text-figs., 1 pl.
- K. Asama, Evolution of Shansi Flora and Origin of Simple Leaf. p. 247-273, 9 text-figs., 4 tables, 2 pls.
- S. Takeuti, Palynological Studies on the Pleistocene Sediments of Ipponsugi in the Northern Part of Sendai City, Japan. p. 275-277, 3 text-figs., 1 pl.
- J. Iwai, Sedimentary Structures observed in the Hanaizumi Formation, Iwate Prefecture, Northeast Japan. p. 279-292, 11 text-figs.
- T. Shibata, Pyroclastic Rubble Flow in the Yumoto Tuff Member, Miyagi Prefecture. p. 293-302, 1 text-fig.
- N. Kitamura, Preliminary Report on Systematic Jointing in the Taishu Group developed in Mitsushima-cho, Tsushima Islands, Japan. p. 303-319, 5 text-figs., 2 tables, 1 pl.
- Y. Onuki, Permian and Jurassic Geosynclines in Japan. p. 321-328, 3 text-figs.
- K. Hatai, Mizuho To. p. 329-348.
- H. Okutsu, On the Geology and Groundwater Hydrology of the Sendai Area. p. 349-360, 5 text-figs., 1 table.
- H. Mii, Some Ancient Shore Features. p. 361-371, 9 text-figs.
- H. Nakagawa, Structural Growth of the Kanto Tectonic Basin. p. 373-393, 1 text-fig.

SHORT PAPERS (Dircontinued)

No. 1, July 5, 1950

- S. Hanzawa, Eocene Foraminifera from Hahajima (Hillsborough Island) (2). p. 1-4, pl. 1.
- K. Asano, Japanese Tertiary Species of *Gaudryina* and *Gaudryinella*. p. 5-10, pl. 2.
- S. Endo, On the Fossil *Acer* from Japan, Korea, and South Manchuria. p. 11-17, pl. 3.
- E. Kon'no and K. Asama, On the Genus *Lobatannularia* Kawasaki 1927 from Permian Beds in South Manchuria and Shansi, China. p. 18-31, 1 fig., pl. 4, 1 table.
- T. Kotaka, Paleogene *Turritella* of Japan. p. 32-41, pl. 5.
- S. Nisiyama, Two New Species of the Toxasteridae from Japan. p. 42-47, 6 figs.

- Y. Kamada, A Preliminary Report on a Pleistocene Marine Fauna from Fukushima Prefecture. p. 48-53, 1 fig.
- K. Hatai, Brachiopods from Jizodo, Chiba Prefecture. p. 54-58, 1 fig.
- J. Iwai, Kameno-o Formation (Tertiary) of the Joban Coal-field. p. 59-77, 1 map.
- No. 2, December 15, 1950
- S. Hanzawa, On the Occurrence of the Foraminiferal Genera, *Everbeekina*, *Nankinella*, and *Sphaerulina* from Japan. p. 1-12, pls. 1, 2.
- K. Asano, Cretaceous Foraminifera from Teshio, Hokkaido. p. 13-22, pl. 3, table 1.
- Y. Takayanagi, Pliocene Smaller Foraminifera from Western Sendai. p. 23-28, 6 figs., 1 table.
- S. Nisiyama, Fossil Echinoidea from the Miyako Cretaceous. p. 29-38, 3 figs., pl. 4.
- S. Nisiyama and W. Hashimoto, A New *Echinorachnus* from the Tertiary of Hokkaido. p. 39-42, 3 figs.
- I. Hayasaka and K. Hatai, Two New Japanese Brachiopoda. p. 43-45, 4 figs.
- T. Kotaka, A New *Clinocardium* from Aomori Prefecture. p. 46-50, pl. 5.
- S. Endo, On the Fossil *Carpinus* from Japan and Korea. p. 51-57, pl. 6.
- K. Hatai and Y. Kamada, Fossil Evidence for the Geological Age of the Uchigo Group, Joban Coal-field. p. 58-74, 2 figs.
- S. Hanzawa, Tertiary Paleogeography of North Japan. p. 74-98, 4 maps.
- No. 3, July 20, 1951
- S. Hanzawa, Recent and Fossil *Cycloclypeus* from the Ryukyu Islands and their Adjacent Sea. p. 1-12, pls. 1, 2, 10 figs.
- K. Asano, Recent and Tertiary *Cyclammina* from Japan and the Adjacent Regions. p. 13-24, pls. 3, 4, 1 table.
- I. Hayasaka and M. Hosono, A New Permian *Spirifer* from Timor. p. 25-28, 2 figs.
- K. Hatai, A Lower Cretaceous *Teredo*. p. 29-32, pl. 5.
- R. Imaizumi, *Trachycarcinus huziokai* n. sp. from Yamagata Prefecture. p. 33-40, pl. 6.
- K. Hatai, A Problematical Fossil from Yamagata. p. 41-45, pl. 7.
- K. Hatai, On a Sand-pipe from near Sendai. p. 46-51, 3 figs.
- S. Endo, On the Fossil *Acer* from Japan, Korea, and South Manchuria II. p. 52-58, pl. 8.
- E. Kon'no and K. Asama, On the Genus *Tingia* Halle 1925 from Permian Beds in South Manchuria and Shansi, China. p. 59-69, pls. 9, 10.
- T. Kotaka, Recent *Turritella* of Japan. p. 70-90, pls. 11, 12, 1 map, 2 tables.
- R. Tayama, Geology of Angaur Island. p. 91-104, 4 figs., 4 maps.
- S. Hanzawa, Fossil Foraminifera from Angaur Island. p. 109-126.
- K. Hatai, Fossil Mollusca from Angaur Island. p. 127.
- No. 4, June 17, 1952
- S. Hanzawa, Notes on the Recent and Fossil *Baculogypsinoides spinosus* Yabe and Hanzawa from the Ryukyu Islands and Taiwan (Formosa), with Remarks on Some Spinose Foraminifera. p. 1-22, pls. 1, 2, 3 figs.
- K. Asano, Paleogene Foraminifera from the Ishikari and Kushiro Coal-Fields, Hokkaido. p. 23-46, pls. 3-5, 1 fig.
- K. Asano, Foraminifera from the Miocene Takinoue Formation near Momijiyama, Hokkaido. p. 47-51, pl. 6.
- Y. Takayanagi, Foraminifera from the Hatatake Formation in the Sendai Basin. p. 52-64, 5 figs., 1 table.
- K. Hatai, An Interesting Fossil from Hokkaido. p. 65-67, 2 figs.
- K. Hatai and J. Kotoh, Additional Brachiopoda from Jizodo, Chiba Prefecture. p. 68-69.
- K. Hatai and T. Kotaka, On Some Lower Miocene Marine Shells. p. 70-86, pl. 7.
- T. Kotaka, *Turritella fortilirata habeai*, a New Name for *Turritella fortilirata multilirata*. p. 87.
- R. Imaizumi, *Mursia takahashii* n. sp. (Brachyura) from Goishi in the Sendai Area. p. 88-95, 1 fig.
- No. 5, December 15, 1953
- K. Asano, Miocene Foraminifera from the Noto Peninsula, Ishikawa Prefecture. p. 1-21, pls. 1-3.
- K. Asano, Oligocene Foraminifera from Utsunai, Tonbetsu-mura, North Hokkaido. p. 22-24, 8 figs.
- Y. Takayanagi, New Genus and Species of Foraminifera found in the Tonohama Group, Kochi Prefecture, Shikoku, Japan. p. 25-36, pl. 4, 1 table.

- K. Hatai and S. Hayasaka, Preliminary Note on the Fossil Mollusca from the Yabu Formation, Chiba Prefecture. p. 37-40.
- K. Masuda, A New Species of *Patinopecten* from Ibaragi Prefecture. p. 41-50, pls. 5, 6.
- H. Mii, Clastic Dikes in the Akyu Group in the Western Hilly Region of Sendai. p. 51-66, pls. 7, 8, 3 figs., 3 tables.
- R. Imaizumi, *Thalassina anomala* (Herbst) from Japan. p. 67-76, pl. 9, 1 map.
- R. Imaizumi, *Callianassa tayamai* n. sp. from Saipan. p. 77-83, pls. 10, 11.
- R. Imaizumi, Note on *Bathynomus* sp., (Crustacea) from the Miocene of Japan. p. 84-86, pl. 12.

CONTRIBUTIONS

- No. 40, February 24, 1951.
 J. Iwai, Pleistocene Series of Eastern Aomori Prefecture. p. 1-31, 1 geol. map. [岩井淳一, 青森県東部の更新統]
- No. 41, February 28, 1952.
 R. Imaizumi and T. Kotaka, Geology of the Takanosu, Odate and Yonaizawa Districts, Kita-Akita-gun, Akita Prefecture. p. 1-33, 5 figs., 1 geol. map. [今泉力蔵, 小高民夫, 秋田県北秋田郡鳴森・大館及び米内沢地区の地質]
- No. 42, February 28, 1953.
 J. Iwai, Intraformational Abnormal Deposition Observed in the Kameno-o Formation. p. 1-22, 16 figs., 3 pls. [岩井淳一, 亀ノ尾層に見られる層間異常]
- No. 43, March 31, 1953.
 S. Imanishi, Geology of the Shintotsukawa District, Kaboto-gun, Ishikari Province, Hokkaido. p. 1-41, 9 figs., 2 tables, 1 geol. map. [今西茂, 北海道樺戸郡新十津川地区の地質]
- No. 44, December 17, 1953.
 S. Imanishi, Geology of the Akan District, Akan-gun, Kushiro Province, Hokkaido, Japan. p. 1-47, 9 figs., 20 tables (not numbered), 1 geol. map. [今西茂, 北海道釧路国阿寒地方の地質について]
- No. 45, March 31, 1955.
 Studies on the Ecology and Sedimentation of Matsukawa-Ura, Soma City, Fukushima Prefecture (No. 1). [福島県相馬市松川浦の生態学的並に堆積学的研究 (総合研究その1)]
 K. Asano, General Remarks. p. 1-4, 1 fig. [浅野清, 総合報告]
 H. Mii, Marine Sediments of Matsukawa-Ura and Its Vicinity. p. 5-17, 9 figs. [三位秀夫, 松川浦付近の底質]
 Y. Takayanagi, Recent Foraminifera from Matsukawa-Ura and Its Vicinity. p. 18-52, 33 figs., 2 pls., 1 table. [高柳洋吉, 松川浦付近の有孔虫]
 T. Kotaka, Y. Kamada and S. Hayasaka, Recent Mollusca from Matsukawa-Ura and Its Vicinity. p. 53-63, 2 tables, 4 figs., 1 pl. [小高民夫, 鎌田泰彦, 早坂祥三, 松川浦の軟体動物]
 R. Imaizumi, Recent Crabs from Matsukawa-Ura. p. 66-68, 2 pls. [今泉力蔵, 松川浦のカニ類]
 S. Nomura, I. Usuki and K. Shiroishi, Bottom Fauna and their Environment in Matsukawa-Ura. p. 69-83, 9 figs., 6 tables. [野村七郎・臼杵格・白石景秀, 松川浦の底棲生物とその棲息環境]
 N. Kitamura, T. Shibata and A. Ueda, Geology of the Neighboring Area of Matsukawa-Ura. p. 84-96, figs. 6 [北村信・柴田豊吉・上田朗, 松川浦周辺地域の地質及び構造]
- No. 46, November 10, 1955.
 Studies on the Ecology and Sedimentation of Matsukawa-Ura, Soma City, Fukushima Prefecture (No. 2). [福島県相馬市松川浦の生態学的並に堆積学的研究 (総合研究その2)]
 H. Nakagawa, Geomorphology of Matsukawa-Ura and Its Vicinity. p. 1-29, 29 figs. [中川久夫, 松川浦付近の地形]
 H. Mii, Ripple Marks in Matsukawa-Ura. p. 30-35, 4 figs. [三位秀夫, 松川浦の渦痕]
 K. Asano, General Remarks (Conclusion). p. 36-37, 9 pls. [浅野清, 総合研究要約]
- No. 47, December 7, 1956.
 N. Kitamura, T. Kotaka and S. Hayasaka, The Structural History of the Northern Part of Iwate Prefecture. p. 1-20, 10 figs. [北村信・小高民夫・早坂祥三, 岩手県の南西部の地質構造発達史について]
- No. 48, March 12, 1958.
 H. Fujita, Geology of the Omi Limestone (Permo-Carboniferous), Niigata Prefecture. p. 1-60, 16 tables, 47 figs. [藤田博志, 新潟県西頸城郡古生代青海石灰岩及びその周辺地域の地質]

- No. 49, March 2, 1959.
 N. Kitamura, Tertiary Orogenesis in Northeast Honshu, Japan. p. 1-98, 23 figs., 10 tables.
 [北村信, 東北地方における第三紀造山運動について—(奥羽脊梁山脈を中心として)—]
- No. 50, September 15, 1959.
 Y. Onuki and Y. Bando, On the Inai Group of the Lower and Middle Triassic System (Stratigraphical and Paleontological Studies of the Triassic System in the Kitakami Massif, Northeastern Japan: 3). On Some Triassic Ammonites from the Rifu Formation (Stratigraphical and Paleontological Studies of the Triassic System in the Kitakami Massif, Northeastern Japan: 4), p.1-80, 3 pls. 10 figs. [小貫義男・坂東祐司, 下部および中部三疊系稻井層について, 利府層の三疊紀菊石 (英文). (北上山地における三疊系の層位学・古生物学的研究—3, 4)]
- No. 51, October 27, 1960.
 T. Saito, Tertiary Stratigraphy of the Kakegawa District, Central Japan and Its Planktonic Foraminifera. p. 1-45, 7 charts, 6 figs., 2 tables, 3 pls. [斎藤常正, 静岡県島田, 掛川市付近の第三系とその浮游性有孔虫化石群]
- No. 52, March 27, 1961.
 Geological Observations of the Sanriku Coastal Region Damaged by the Tsunami Due to the Chile Earthquake in 1960. [チリ地震津波による三陸沿岸被災地の地質学的調査報告]
 E. Kon'no, Preface and Abstract. p. 1-5, 23 figs. [今野円蔵, まえがき及び要約]
 J. Iwai, Y. Takayanagi and H. Nakagawa, Coastal Region between Hachinohe and Kuji. p. 6-15, 5 tables. [岩井淳一・高柳洋吉・中川久夫, 八戸一久慈地区]
 Y. Onuki, T. Shibata and H. Mii, Coastal Region between Taro and Kamaishi. p. 16-27, 3 tables, 6 figs. [小貫義男・柴田豊吉・三位秀夫, 田老一釜石地区]
 N. Kitamura, T. Kotaka and J. Kataoka, Coastal Region between Ofunato and Shizukawa. p. 28-40, 14 figs. [北村信・小高民夫・片岡純, 大船渡一志津川地区]
- No. 53, March 30, 1961.
 M. Murata, On the Geological Structure of the Akiyoshi Plateau. p. 1-46, 10 figs., 1 geol. map. [村田正文, 秋吉台の地質構造]
- No. 54, August 20, 1961.
 H. Nakagawa, Pleistocene Eustasy and Glacial Chronology along the Pacific Coastal Region of Japan. p. 1-61, 3 tables, 16 figs. [中川久夫, 本邦太平洋沿岸地方における海水準静的変化と第四紀編年]
- No. 55, February 20, 1962.
 N. Kitamura and A. Muto, Mechanism of Accumulation of the Oarasawa Formation. p. 1-13, 3 pls., 2 figs. [北村信・武藤章, 大荒沢層の積成機構にかんする問題]
- No. 56, August 8, 1962.
 S. Mabuti, A Study on Sedimentation and Tectogenic History of the Paleogene System of the Kushiro Coal Field. p. 1-42, 45 figs. [馬淵精一, 釧路炭田古第三系に関する堆積並びに構造史的考察]
- No. 57, November 26, 1962.
 K. Asano, Japanese Paleogene from the View-point of Foraminifera with Descriptions of Several New Species. p. 1-32, 1 pl., 6 tables. [浅野清, 有孔虫化石群からみた日本の古第三系]
- No. 58, July 30, 1963.
 Y. Onuki, H. Mii, I. Shimada, S. Takeuti, T. Ishida and T. Saito, Late Quaternary History of the Tsugaru Jusanko (Jusan Lagoon) District, Aomori Prefecture, Japan. p. 1-36, 13 figs., 9 tables. [小貫義男・三位秀夫・島田景郎・竹内貞子・石田琢二・斎藤常正, 青森県津軽十三湖地域の沖積層]
- No. 59, March 24, 1964.
 Y. Kikuchi, Biostratigraphy of the Neogene and Quaternary Deposits Based upon the Smaller Foraminifera in the Southern Kanto Region. p. 1-36, 8 figs. [菊池良樹, 南関東地方の新第三系および第四系の微化石層位学的研究]
- No. 60, July 24, 1964.
 T. Ikeda: Study on the Alluvial Deposits of the Tokai Region. p. 1-85, 48 text-figs., 14 tables. [池田俊雄, 東海道における沖積層の研究]

- No. 61, December 24, 1964.
 Y. Higuchi, Microbiostratigraphical Studies of the Gas Field in Chiba Prefecture, Japan. p. 1-48, 24 text-figs., 7 tables. [樋口雄, 千葉県ガス田地域における微化石層位学的研究]
- No. 62, March 30, 1966.
 I. Koizumi, Tertiary Stratigraphy and Diatom Flora of the Ajigasawa District, Aomori Prefecture, Northeast Japan. p. 1-34, 10 text-figs., 3 tables, 1 map, 8 pls. [小泉格, 青森県西津軽郡鶴ヶ沢地域の第三系と鶴ヶ沢地域第三系の化石珪藻群]
- J. Iwai and K. Ishizaki, A Preliminary Study on the Usuginu Type Conglomerate — With Special Reference to its Paleogeographical and Structural Significance. p. 35-53, 9 text-figs. [岩井淳一・石崎国熙, 北上山地薄衣式礫岩の研究—とくにその古地理学的・構造地質学的意義について—]
- Y. Saito, Geology of the Setamai District, Southern Kitakami Massif, Northeast Japan. p. 56-67, 4 tables, 1 map. [斎藤靖二, 南部北上山地, 世田米地域の古生層について]
- No. 63, March 27, 1967.
 H. Nakagawa, Geology of Tokunoshima, Okierabujima, Yoronto, and Kikajima, Amami Gunto, Part 1. p. 1-39, 17 text-figs., 3 tables. [中川久夫, 奄美群島徳之島・沖永良部島・与論島・喜界島の地質(1)]
- T. Shibata, Miocene Stratigraphy around Matsushima Bay, Miyagi Prefecture, Japan. p. 41-59, 2 text-figs., 1 table. [柴田豊吉, 松島湾周辺に分布する中新統の層序について]
- No. 64, October 31, 1967.
 K. Hase, Geology of the Alluvial Plains of Miyagi Prefecture. p. 1-45, 23 text-figs., 6 tables, 3 pls. [長谷弘太郎, 宮城県冲積平野の地質学的研究]
- No. 65, September 20, 1968.
 A. Muto, Sedimentological Research on the Alluvial Deposits of Iwaki City, Fukushima Prefecture. p. 1-60, 30 text-figs., 7 tables. [武藤章, 福島県いわき市冲積層の堆積機構に関する研究]
- No. 66, November 30, 1968.
 Y. Iwabuchi, Submarine Geology of the Southeastern Part of the Japan Sea. p. 1-76, 52 text-figs., 4 tables. [岩淵義郎, 日本海南東部の海底地質]
- No. 67, February 20, 1969.
 Disaster Investigation Group of the Institute of Geology and Paleontology, Tohoku University, Phenomena and Disasters Associated with Earthquakes. Examples from the Tokachi-Oki Earthquake of 1968 in Eastern Aomori Prefecture. p. 1-98, 236 text-figs. [東北大學理学部地質学古生物学教室災害調査グループ, 地震に伴う自然現象と災害—青森県東部における“1968年十勝沖地震”の実例について—]
- S. Mitsui, Analysis of Minor Faults in the Area between Taira and Onahama. p. 99-116, 7 text-figs., 2 tables. [三井忍, 平一小名浜間における小断層解析]
- No. 68, August 25, 1969.
 H. Nakagawa, Geology of Tokunoshima, Okierabujima, Yoronto and Kikajima, Amami Gunto, Part 2. p. 1-17, 4 text-figs. [中川久夫, 奄美群島, 徳之島・沖永良部島・与論島・喜界島の地質(2)]
- N. Kitamura, Y. Takayanagi, K. Masuda, S. Hayasaka, S. Mitsui, K. Sugawara, and K. Takahashi: On Some Geological Problems concerning the Tertiary Strata of the Izu Peninsula. p. 19-31, 2 text-figs. [北村信・高柳洋吉・増田孝一郎・早坂祥三・三井忍・菅原健・高橋邦夫, 伊豆半島の地質学的諸問題]
- No. 69, October 11, 1969.
 Y. Onuki, Geology of the Kitakami Massif, Northeast Japan. p. 1-239, 55 text-figs., 32 tables, 4 pls. [小貫義男, 北上山地地質誌]
- No. 70, December, 1969.
 M. Sugimoto, Geology of the Omoto-Tanohata District, Outer Kitakami Belt, Northeast Japan. p. 1-28, 12 text-figs., 2 tables, 3 pls. [杉本幹博, 北上外縁帶, 岩手県小本・田野畑地域の中生層]